

Subject index

22q11 deletion syndrome, Hypoparathyroidism and 22q11 deletion syndrome, **520**

aboriginal, Thirsty Thursday, **311**

abuse, Category D: unknown whether ill treatment is cause, **645**

Classification of child abuse by motive and degree rather than type of injury, **101**

accident, Accident prevention, **275**

acute ataxia, Acute ataxia complicating Langerhans cell histiocytosis, **178**

acute haematogenous osteomyelitis, Fosfomycin for the initial treatment of acute haematogenous osteomyelitis, **512**

acute myeloid leukaemia, Unexpected medical coincidences require systematic and careful strategies: an example, **435**

acute renal failure, Acute renal failure and cystic fibrosis, **646**

acyl-CoA dehydrogenase deficiency, Perforated duodenal ulcer disclosing medium chain acyl-CoA dehydrogenase deficiency, **88**

ADEM, Acute disseminated encephalomyelitis: recognition in the hands of general paediatricians, **122**

adherence, Funhler spacer: improving adherence without compromising delivery, **579**

adolescents, A pilot study of motivational interviewing in adolescents with diabetes, **680**

BMI distribution changes in adolescent British girls, **978**

Chronic pain in adolescents: evaluation of a programme of interdisciplinary cognitive behaviour therapy, **881**

Female sexual health care in cystic fibrosis, **265**

Health effects of family size: cross sectional survey in Chinese adolescents, **467**

Insulin pumps, **949**

National guideline for the management of suspected sexually transmitted infections in children and young people, **303**

adrenal crisis, Adrenal crisis due to inhaled steroids is underestimated, **554**

Moderately high doses still need to be considered for very young children, **555**

Use of inhaled corticosteroids in children, **461**

adrenergic agonist, Amitraz poisoning, an emerging problem: epidemiology, clinical features, management, and preventive strategies, **130**

adverse drug reaction, Pharmacogenomic can give children safer medicines, **366**

aerosol, Ethical aspects of using radiolabelling in aerosol research, **659**

Funhler spacer: improving adherence without compromising delivery, **579**

Nebuliser hood compared to mask in wheezy infants: aerosol therapy without tears!, **719**

aerosol therapy, Safety of inhaled corticosteroids delivered by plastic and metal spacers, **527**

Africa, Causes and outcome of young infant admissions to a Kenyan district hospital, **438**

AIDS, Bowel obstruction in an infant with AIDS, **825**

airway inflammation, Safety and success of exhaled breath condensate collection in asthma, **358**

airway obstruction, Bronchodilation in infants with malacia or recurrent wheeze, **246**

albumin, Hypoalbuminaemia in critically ill children: incidence, prognosis, and influence on the anion gap, **419**

alcohol, Sudden infant death syndrome: bed sharing with mothers who smoke, **112**

Allen's test, Radial artery pseudoaneurysm successfully treated by compression bandage, **165**

allergic contact dermatitis, Allergic contact dermatitis to henna tattoo, **752**

allergy, Airway infections in infancy and the presence of allergy and asthma in school age children, **566**

Food allergy in childhood, **742**

Respiratory problems in children with neurological impairment, **75**

alveolar macrophage, The potential of recombinant surfactant protein D therapy to reduce inflammation in neonatal chronic lung disease, cystic fibrosis, and emphysema, **981**

ambiguous genitalia, Surgical management of ambiguous genitalia, **799**

Ambroise Paré, "Labor improbus omnia vincit"; Ambroise Paré and sixteenth century child care, **985**

amino acid tablets, Are tablets a practical source of protein substitute in phenylketonuria?, **327**

amitraz, Amitraz poisoning, an emerging problem: epidemiology, clinical features, management, and preventive strategies, **130**

anaemia, Anti B cell targeted immunotherapy for treatment of refractory autoimmune haemolytic anaemia in a young infant, **337**

anaerobic threshold, Prospective randomised treatment with recombinant human growth hormone in cystic fibrosis, **1078**

anaphylaxis, Food allergy in childhood, **742**

Respiratory problems in children with neurological impairment, **75**

anatomy, Not just an appendix: Sir Frederick Treves, **549**

anhidrotic ectodermal dysplasia, Anhidrotic ectodermal dysplasia and immunodeficiency: the role of NEMO, **340**

anion gap, Hypoalbuminaemia in critically ill children: incidence, prognosis, and influence on the anion gap, **419**

ankylosing spondylitis, Juvenile onset spondyloarthropathies: therapeutic aspects, **312**

anorexia, A Rapunzel with a difference, **264**

Ansell, Barbara Mary, Dr Barbara Mary Ansell, CBE, FRCP, FRCS, FRCPCH, **185**

antibiotic, Empyema thoracis: a 10-year comparative review of hospitalised children from south Asia, **1009**

anticholinergic drugs, A systematic review for evidence of efficacy of anticholinergic drugs to treat drooling, **911**

anticoagulant, Posterior knee pain: primary symptom of a small non-occlusive venous clot, **728**

antihistamine, Towards evidence based medicine for paediatricians, **831**

anti-NS-1 IgG, Long term follow up of serostatus after maternofetal parvovirus B19 infection, **219**

antipyretic, Towards evidence based medicine for paediatricians, **638**

antiracism, Evaluation of cultural competence and antiracism training in child health services, **291**

antithyroid antibody, Chronic urticaria: association with thyroid autoimmunity, **517**

antithyroid drug, Successful radioiodine treatment in a 3 year old child with Graves' disease following antithyroid medication induced neutropenia, **158**

anti-VP1/VP2 IgG, Long term follow up of serostatus after maternofetal parvovirus B19 infection, **219**

aphthous stomatitis, Differential diagnosis of periodic fevers, **92**

apnoea, Apnoea and brain swelling in non-accidental head injury, **472**

apoptosis, The potential of recombinant surfactant protein D therapy to reduce inflammation in neonatal chronic lung disease, cystic fibrosis, and emphysema, **981**

Aral Sea, Renal tubular dysfunction in children living in the Aral Sea Region, **966**

arousal, Altered arousal response in infants exposed to cigarette smoke, **30**

arthritis, A novel presentation of juvenile idiopathic arthropathy, **1015**
Images in paediatrics: Pseudoporphyria secondary to non-steroidal anti-inflammatory drugs, **961**

arthritis, cytokine, Biologic therapies for juvenile arthritis, **186**

aspiration, Respiratory problems in children with neurological impairment, **75**

assessment unit, A seven year experience of medical emergencies in the assessment unit, **125**

asthma, Airway infections in infancy and the presence of allergy and asthma in school age children, **566**

Comparative efficacy of terbutaline sulphate delivered by Turbuhaler dry powder inhaler or pressurised metered dose inhaler with Nebuhaler spacer in children during an acute asthmatic episode, **319**

- Difficult asthma in children, **168**
 Emergency asthma inhalers in school, **384**
 Fluticasone propionate in asthma: a long term dose comparison study, **503**
 Is there a role for treatment of asthma with omalizumab?, **71**
 Perception of exercise induced asthma by children and their parents, **807**
 Questions on questionnaire development, **273**
 Safety and success of exhaled breath condensate collection in asthma, **358**
 The incidence of hypoglycaemia in children with type 1 diabetes and treated asthma, **155**
 Therapeutic implications of sex differences in asthma and atopy, **587**
 Usefulness of monitoring lung function in asthma, **1021**
asthma control, Treatment compliance, passive smoking, and asthma control: a three year cohort study, **229**
asylum seeker, Refugee children: don't replace one form of severe adversity with another, **365**
atlantoaxial joint, An unusual life threatening cause of torticollis in a child, **349**
atopic dermatitis, Disease severity and associated family impact in childhood atopic dermatitis, **423**
 Systemic exposure, tolerability, and efficacy of pimecrolimus cream 1% in atopic dermatitis patients, **969**
 Towards evidence based medicine for paediatricians, **831**
atopic eczema, Herbal creams used for atopic eczema in Birmingham, UK illegally contain potent corticosteroids, **1056**
atopy, Therapeutic implications of sex differences in asthma and atopy, **587**
atropine, Intravenous atropine treatment in infantile hypertrophic pyloric stenosis, **87**
attachment, Containing anxiety in the management of constipation, **1038**
attention deficit/hyperactivity disorder, Deficits in attention, motor control, and perception: a brief review, **904**
attentional ability, Attentional ability among survivors of leukaemia treated without cranial irradiation, **147**
attitudes, Baby walkers: paediatricians' knowledge, attitudes, and health promotion, **1084**
atypical, 'Unresolving pneumonia' as the main manifestation of atypical Kawasaki disease, **940**
atypical autism, Pathological demand avoidance syndrome: a necessary distinction within the pervasive developmental disorders, **595**
audit, Improving hearing assessment of children post-meningitis, **976**
auditory neuropathy, Screening and follow up assessment in three cases of auditory neuropathy, **25**
Australia, A leap into the unknown—working overseas, **374**
autism, Children with autistic spectrum disorders. I: Comparison of placebo and single dose of human synthetic secretin, **731**
 Children with autistic spectrum disorders. II: Parents are unable to distinguish secretin from placebo under double-blind conditions, **737**
 Prevalence of autism and parentally reported triggers in a north east London population, **666**
autistic spectrum disorder, Children with autistic spectrum disorders. I: Comparison of placebo and single dose of human synthetic secretin, **731**
 Children with autistic spectrum disorders. II: Parents are unable to distinguish secretin from placebo under double-blind conditions, **737**
autoimmune, Anti B cell targeted immunotherapy for treatment of refractory autoimmune haemolytic anaemia in a young infant, **337**
autoimmune disease, Use of methotrexate in juvenile idiopathic arthritis, **197**
autoimmunity, *Mycoplasma pneumoniae* associated organising pneumonia in a 10 year old boy, **270**
autologous haematopoietic stem cell transplantation, Use of methotrexate in juvenile idiopathic arthritis, **197**
avascular necrosis, Technetium-99m MDP bone scintigraphy shows multiple abnormalities in sickle cell disease, **631**
B parapertussis, Clinical and epidemiological picture of *B pertussis* and *B parapertussis* infections after introduction of acellular pertussis vaccines, **684**
B pertussis, Clinical and epidemiological picture of *B pertussis* and *B parapertussis* infections after introduction of acellular pertussis vaccines, **684**
β2-microglobulin, Renal tubular dysfunction in children living in the Aral Sea Region, **966**
baby walkers, Baby walkers: paediatricians' knowledge, attitudes, and health promotion, **1084**
backpack contents, Parental knowledge of school backpack weight and contents, **18**
backpack weight, Parental knowledge of school backpack weight and contents, **18**
bacteraemia, Towards evidence based medicine for paediatricians, **454**
bacteria, The epidemiology of acute meningitis in children in England and Wales, **662**
bacterial, Chloramphenicol or ceftriaxone, or both, as treatment for meningitis in developing countries?, **536**
bed sharing, Factors relating to the infant's last sleep environment in sudden infant death syndrome in the Republic of Ireland, **1058**
 Sudden infant death syndrome: bed sharing with mothers who smoke, **112**
behaviour, Development and evaluation of a follow up assessment of preterm infants at 5 years of age, **870**
behaviour problems, Community child health training, **97**
 Improving mental health through parenting programmes: are the results valid?, **460**
 Improving mental health through parenting programmes: are the results valid?, **553**
behavioural programme, Preventing sleeping problems in infants who are at risk of developing them, **108**
bicycle, Cycle helmets, **465**
bilateral mediastinal tumour, CT radiation doses, **743**
 Dumbbell tumour of the mediastinum, **117**
birthmark, Recent developments in lasers and the treatment of birthmarks, **372**
BK virus, BK virus DNA in CSF of immunocompetent and immunocompromised patients, **174**
blood concentrations, Systemic exposure, tolerability, and efficacy of pimecrolimus cream 1% in atopic dermatitis patients, **969**
blood glucose, Towards evidence based medicine for paediatricians, **234**
blood-brain barrier, Changes in serum sodium levels during treatment of hyperglycaemia, **647**
 Importance of timing of risk factors for cerebral oedema during therapy for diabetic ketoacidosis, **170**
BMI, BMI distribution changes in adolescent British girls, **978**
Bochdalek, Bochdalek diaphragmatic hernia: not only a neonatal disease, **532**
body mass index, Infant feeding and obesity through the lifecourse, **793**
 Secular trends in growth in diabetes: are we winning?, **151**
bone, Management of childhood osteoporosis, **91**
bone markers, Radiological and biochemical resolution of nutritional rickets with calcium, **812**
bone scintigraphy, Complementary use of radiological skeletal survey and bone scintigraphy in detection of bony injuries in suspected child abuse, **387**
 Technetium-99m MDP bone scintigraphy shows multiple abnormalities in sickle cell disease, **631**
bone status, Vitamin K supplementation in cystic fibrosis, **974**
Bordetella pertussis, Mechanisms of pulmonary hypertension in *Bordetella pertussis*, **92**
bowel obstruction, Bowel obstruction in an infant with AIDS, **825**
BPV, Evaluation of vestibular functions in children with vertigo attacks, **510**
brain, Brain function, **954**
brain cell swelling, Changes in serum sodium levels during treatment of hyperglycaemia, **647**
 Importance of timing of risk factors for cerebral oedema during therapy for diabetic ketoacidosis, **170**
brain development, The developing brain and early learning, **651**
breast feeding, Breast feeding and respiratory morbidity in infancy: a birth cohort study, **224**
 Cultural representation of newborn feeding, **555**
 Environmental risk factors for type 1 diabetes in Rome and province, **695**
 Infant feeding and obesity through the lifecourse, **793**
British Association of Perinatal Medicine, The British Association of Perinatal Medicine: the first 25 years (1976–2000), **181**
bronchiolitis, Bronchoalveolar lavage cellularity in infants with severe respiratory syncytial virus bronchiolitis, **922**

- The clinical and health economic burden of respiratory syncytial virus disease among children under 2 years of age in a defined geographical area, **1065**
- Towards evidence based medicine for paediatricians, **831**
- bronchoalveolar lavage**, Bronchoalveolar lavage cellularity in infants with severe respiratory syncytial virus bronchiolitis, **922**
- bronchodilation**, Bronchodilation in infants with malacia or recurrent wheeze, **246**
- bronchoscopy**, Treatment of plastic bronchitis in acute chest syndrome of sickle cell disease with intratracheal rhDNase, **626**
- burn**, Caustic burn caused by potassium permanganate, **96**
- Calman**, Medical training in the UK, **655**
- cancer**, Preservation of fertility in children treated for cancer, **493**
- carbon monoxide**, Carbon monoxide concentrations in paediatric sepsis syndrome, **889**
- cardiac function**, Monitoring cardiac function in intensive care, **46**
- Subclinical hypothyroidism and Down's syndrome; studies on myocardial structure and function, **1005**
- cardiac surgery**, A cohort study of neurodevelopmental outcome in children with DiGeorge syndrome following cardiac surgery, **61**
- caregiver**, Disease severity and associated family impact in childhood atopic dermatitis, **423**
- cartoon competition**, Illustrations, not run, but still fun!, **1140**
- cat scratch disease**, Hepatosplenic cat scratch disease treated with corticosteroids, **345**
- catecholamines**, Ganglioneuroblastoma presenting as dilated cardiomyopathy, **162**
- catheter**, Towards evidence based medicine for paediatricians, **454**
- cell count**, Bronchoalveolar lavage cellularity in infants with severe respiratory syncytial virus bronchiolitis, **922**
- CEMACH**, The confidential enquiry into maternal and child health (CEMACH), **1034**
- central core disease**, Central core disease: clinical, pathological, and genetic features, **1051**
- central precocious puberty**, Cranial MRI scans are indicated in all girls with central precocious puberty, **414**
- central venous line**, Safe retrieval of impacted central venous line, **630**
- cephalosporin**, Chloramphenicol or ceftriaxone, or both, as treatment for meningitis in developing countries?, **536**
- cerebral malaria**, Towards evidence based medicine for paediatricians, **638**
- cerebral oedema**, Ketoacid levels may alter osmoticity in diabetic ketoacidosis and precipitate cerebral edema, **367**
- cerebral palsy**, The term diplegia should be abandoned, **286**
- cerebrospinal fluid**, BK virus DNA in CSF of immunocompetent and immunocompromised patients, **174**
- chemotherapy**, Restoration of ovarian function after chemotherapy for osteosarcoma, **428**
- Update on childhood rhabdomyosarcoma, **354**
- child abuse**, Complementary use of radiological skeletal survey and bone scintigraphy in detection of bony injuries in suspected child abuse, **387**
- From Cosette to Climbié: 'Progress is the aim, the ideal is the model', **562**
- Paediatricians and child protection: the need for effective education and training, **560**
- child development**, Containing anxiety in the management of constipation, **1038**
- child health**, Health protection and a new strategy for combating infection in children, **1**
- child labour**, Shoeshine, **687**
- child neglect**, Paediatricians and child protection: the need for effective education and training, **560**
- child protection**, Paediatricians and child protection: the need for effective education and training, **560**
- Protecting children, supporting professionals, **557**
- childhood**, A controlled study of sleep related disordered breathing in obese children, **1043**
- Once upon a time, **545**
- children**, Difficult asthma in children, **168**
- National guideline for the management of suspected sexually transmitted infections in children and young people, **303**
- children's safety**, Randomised controlled trial of site specific advice on school travel patterns, **8**
- children's trusts**, Commissioning from specialist children's trusts, **750**
- China**, The One Child Family Policy, **463**
- chloramphenicol**, Chloramphenicol or ceftriaxone, or both, as treatment for meningitis in developing countries?, **536**
- chromosome 22q11**, 22q11 deletion: a multisystem disorder requiring multidisciplinary input, **523**
- chronic anaemia**, Technetium-99m MDP bone scintigraphy shows multiple abnormalities in sickle cell disease, **631**
- chronic autoimmune thyroiditis**, Metrorrhagia and precocious puberty revealing primary hypothyroidism in a child with Down's syndrome, **330**
- chronic cough**, Pulmonary and sinus diseases in primary humoral immunodeficiencies with chronic productive cough, **1101**
- chronic fatigue syndrome**, Chronic fatigue syndrome in children: a cross sectional survey, **894**
- chronic lung disease**, The clinical and health economic burden of respiratory syncytial virus disease among children under 2 years of age in a defined geographical area, **1065**
- chronic pain**, Chronic pain in adolescents: evaluation of a programme of interdisciplinary cognitive behaviour therapy, **881**
- chronic sinusitis**, Pulmonary and sinus diseases in primary humoral immunodeficiencies with chronic productive cough, **1101**
- chronic urticaria**, Chronic urticaria: association with thyroid autoimmunity, **517**
- classification**, Category D: unknown whether ill treatment is cause, **645**
- Classification of child abuse by motive and degree rather than type of injury, **101**
- clinical association**, Abnormal blood glucose concentrations on admission to a rural Kenyan district hospital: prevalence and outcome, **621**
- clinical genetics**, 22q11 deletion: a multisystem disorder requiring multidisciplinary input, **523**
- clinical management**, Improving the quality of paediatric care in peripheral hospitals in developing countries, **563**
- clinical practice**, On Archimedes, **176**
- clinical records**, Protecting children, supporting professionals, **557**
- clinician**, Protecting children, supporting professionals, **557**
- cloacal exstrophy**, Cloacal exstrophy, **277**
- clodronate**, Oral clodronate as treatment of osteogenesis imperfecta, **945**
- Clostridium difficile**, Corticosteroid treatment of severe, non-responsive *Clostridium difficile* induced colitis, **342**
- cochlear implant**, Cochlear implantation for progressive hearing loss, **708**
- cognitive behaviour therapy**, Chronic pain in adolescents: evaluation of a programme of interdisciplinary cognitive behaviour therapy, **881**
- Incorporating psychological approaches into routine paediatric venepuncture, **931**
- cognitive development**, Development and evaluation of a follow up assessment of preterm infants at 5 years of age, **870**
- cognitive function**, General Certificate of Secondary Education performance in very low birthweight infants, **295**
- cohort**, Parent reported longstanding health problems in early childhood: a cohort study, **570**
- cohort study**, Infant feeding and obesity through the lifecourse, **793**
- cold light**, Cold light transillumination as an aid to umbilical catheterisation, **5**
- colistin**, Comparison of lung deposition of colomycin using the HaloLite and the Pari LC Plus nebulisers in patients with cystic fibrosis, **715**
- collagen**, Radiological and biochemical resolution of nutritional rickets with calcium, **812**
- commissioning**, Commissioning from specialist children's trusts, **750**
- community child health**, Caustic burn caused by potassium permanganate, **96**
- community nurses**, A seven year experience of medical emergencies in the assessment unit, **125**
- community paediatrics**, 22q11 deletion: a multisystem disorder requiring multidisciplinary input, **523**
- complementary feeding**, Weaning of infants, **488**
- compliance**, Funhaler spacer: improving adherence without compromising delivery, **579**
- Treatment compliance, passive smoking, and asthma control: a three year cohort study, **229**
- complications**, Immune complex associated complications in the subacute phase of meningococcal disease: incidence and literature review, **927**
- Nocturnal enuresis is a common complication following cardiac transplantation, **1048**

- compounding**, Making medicines that children can take, **369**
- computed tomography**, Jejunal haemorrhage in Henoch-Schönlein syndrome, **434**
- Pulmonary and sinus diseases in primary humoral immunodeficiencies with chronic productive cough, **1101**
- confidential enquiry**, The confidential enquiry into maternal and child health (CEMACH), **1034**
- congenital**, Disseminated congenital neuroblastoma presenting at birth, **191**
- Efficiency of alternative policy options for screening for developmental dysplasia of the hip in the United Kingdom, **760**
- Performance, treatment pathways, and effects of alternative policy options for screening for developmental dysplasia of the hip in the United Kingdom, **753**
- congenital adrenal hypoplasia**, Congenital adrenal hypoplasia presenting as a chronic respiratory condition, **261**
- congenital anomaly**, Survival of children born with congenital anomalies, **391**
- congenital hearing loss**, Six month impact of false positives in an Australian infant hearing screening programme, **20**
- congenital heart defect**, Unexpected medical coincidences require systematic and careful strategies: an example, **435**
- CONI**, Signs and symptoms of illness in early infancy: associations with sudden infant death, **1001**
- conjugate**, Immunologic memory in *Haemophilus influenzae* type b conjugate vaccine failure, **379**
- consent**, Issues and experience around the paediatric register of inflammatory bowel disease, **891**
- conservative management**, Radial artery pseudoaneurysm successfully treated by compression bandage, **165**
- constipation**, Childhood constipation is not associated with characteristic fingerprint patterns, **1076**
- consultation**, Cloacal exstrophy, **277**
- conversion disorder**, Restrained rehabilitation: an approach to children and adolescents with conversion disorder, **399**
- Intra-articular corticosteroid injections in juvenile idiopathic arthritis, **192**
- Management of childhood osteoporosis, **91**
- corticosteroid**, Corticosteroid treatment of severe, non-responsive *Clostridium difficile* induced colitis, **342**
- Hepatosplenic cat scratch disease treated with corticosteroids, **345**
- co-sleeping**, Factors relating to the infant's last sleep environment in sudden infant death syndrome in the Republic of Ireland, **1058**
- cot death**, Infant care practices related to cot death in Turkish and Moroccan families in the Netherlands, **784**
- cough**, Relation between measurements of cough severity, **57**
- cough meter**, Relation between measurements of cough severity, **57**
- cough receptor sensitivity**, Relation between measurements of cough severity, **57**
- cows milk**, Environmental risk factors for type 1 diabetes in Rome and province, **695**
- cranial irradiation**, Attentional ability among survivors of leukaemia treated without cranial irradiation, **147**
- critical care**, Hypocalcaemia and calcitonin precursors in critically ill patients, **179**
- crying**, Preventing sleeping problems in infants who are at risk of developing them, **108**
- cryopreservation**, Preservation of fertility in children treated for cancer, **493**
- CT scan**, Dysphagia caused by a foreign body, **1017**
- cultural competence**, Evaluation of cultural competence and antiracism training in child health services, **291**
- CV**, The black hole in my CV, **544**
- cycle helmet**, Inequalities in cycle helmet use: cross sectional survey in schools in deprived areas of Nottingham, **876**
- cyclist**, Cycle helmets, **465**
- cystic fibrosis**, Acute renal failure and cystic fibrosis, **646**
- Comparison of lung deposition of colomycin using the HaloLite and the Pari LC Plus nebulisers in patients with cystic fibrosis, **715**
- Cystic fibrosis presenting as kwashiorkor in a Sri Lankan infant, **724**
- Evidence based guidelines for the performance of the sweat test for the investigation of cystic fibrosis in the UK, **1126**
- Female sexual health care in cystic fibrosis, **265**
- Genetic counselling after carrier detection by newborn screening when one parent carries $\Delta F508$ and the other R117H, **886**
- Insulin-like growth factor I correlates with lean body mass in cystic fibrosis patients, **956**
- Lean body mass in children with cystic fibrosis, **836**
- Newborn screening for Duchenne muscular dystrophy, **91**
- Oral health and related factors in cystic fibrosis and other chronic respiratory disorders, **702**
- Partial splenectomy in cystic fibrosis patients with hypersplenism, **143, 649**
- Population pharmacokinetics of high dose ibuprofen in cystic fibrosis, **1128**
- The potential of recombinant surfactant protein D therapy to reduce inflammation in neonatal chronic lung disease, cystic fibrosis, and emphysema, **981**
- Vitamin K deficient bleeding in cystic fibrosis, **553**
- Vitamin K supplementation in cystic fibrosis, **974**
- cystic fibrosis transmembrane conductance regulator**, Genetic counselling after carrier detection by newborn screening when one parent carries $\Delta F508$ and the other R117H, **886**
- deafness**, Improving hearing assessment of children post-meningitis, **976**
- Six month impact of false positives in an Australian infant hearing screening programme, **20**
- death**, Mortality in paediatric epilepsy, **1091**
- decision making**, Same patient, different advice: a study into why doctors vary, **497**
- decision support**, ISABEL: a web-based differential diagnostic aid for paediatrics: results from an initial performance evaluation, **408**
- decision trees**, Efficiency of alternative policy options for screening for developmental dysplasia of the hip in the United Kingdom, **760**
- Performance, treatment pathways, and effects of alternative policy options for screening for developmental dysplasia of the hip in the United Kingdom, **753**
- decortication**, Empyema thoracis: not time to put down the knife, **842**
- Empyema thoracis: a 10-year comparative review of hospitalised children from south Asia, **1009**
- Thoracic empyema, **839**
- deficits in attention, motor control, and perception**, Deficits in attention, motor control, and perception: a brief review, **904**
- delay**, Culture confirmed multidrug resistant tuberculosis: diagnostic delay, clinical features, and outcome, **1106**
- demyelination**, Acute disseminated encephalomyelitis: recognition in the hands of general paediatricians, **122**
- dental caries**, Oral health and related factors in cystic fibrosis and other chronic respiratory disorders, **702**
- deposition**, Nebuliser hood compared to mask in wheezy infants: aerosol therapy without tears!, **719**
- deprivation**, Radiological and biochemical resolution of nutritional rickets with calcium, **812**
- deprivational abuse**, How to distinguish between neglect and deprivational abuse, **105**
- dermatoglyphics**, Childhood constipation is not associated with characteristic fingerprint patterns, **1076**
- detrusor hyperreflexia**, Bladder dysfunction in Duchenne muscular dystrophy, **347**
- developing countries**, An observational study to detect leptospirosis in Mumbai, India, 2000, **1070**
- Detection of leptospirosis in India, **1033**
- Improving the quality of paediatric care in peripheral hospitals in developing countries, **563**
- developing country**, Postnatal depression and infant growth and development in low income countries: a cohort study from Goa, India, **34**
- development**, Postnatal depression and infant growth and development in low income countries: a cohort study from Goa, India, **34**
- developmental coordination disorder**, Deficits in attention, motor control, and perception: a brief review, **904**
- developmental outcome**, A cohort study of neurodevelopmental outcome in children with DiGeorge syndrome following cardiac surgery, **61**
- diabetes**, A pilot study of motivational interviewing in adolescents with diabetes, **680**
- Cold light transillumination as an aid to umbilical catheterisation, **5**
- Diabetes services in the UK: third national survey confirms continuing deficiencies, **53**
- Insulin pumps, **949**
- Islet transplant: an option for childhood diabetes?, **591**

- Ketoacid levels may alter osmoticity in diabetic ketoacidosis and precipitate cerebral edema, **367**
- Secular trends in growth in diabetes: are we winning?, **151**
- The incidence of hypoglycaemia in children with type 1 diabetes and treated asthma, **155**
- diabetes mellitus**, Hyperinsulinism and overgrowth without obesity, **332**
- diabetic ketoacidosis**, Ketoacid levels may alter osmoticity in diabetic ketoacidosis and precipitate cerebral edema, **367**
- diagnosis**, Acute disseminated encephalomyelitis: recognition in the hands of general paediatricians, **122**
- Diagnosis and treatment of bacterial meningitis, **615**
- Syncope in childhood, **350**
- diagnostic accuracy**, ISABEL: a web-based differential diagnostic aid for paediatrics: results from an initial performance evaluation, **408**
- diaphragmatic hernia**, Bochdalek diaphragmatic hernia: not only a neonatal disease, **532**
- diet**, Long term effects of long chain polyunsaturated fats in hyperphenylalaninemic children, **582**
- differential diagnosis**, ISABEL: a web-based differential diagnostic aid for paediatrics: results from an initial performance evaluation, **408**
- DiGeorge syndrome**, A cohort study of neurodevelopmental outcome in children with DiGeorge syndrome following cardiac surgery, **61**
- dilated cardiomyopathy**, Ganglioneuroblastoma presenting as dilated cardiomyopathy, **162**
- diplegia**, The term diplegia should be abandoned, **286**
- disability, trends over time**, Disabilities and trends over time in a French county, 1980–91, **114**
- disease distribution**, Presenting features of inflammatory bowel disease in Great Britain and Ireland, **995**
- disease register**, Issues and experience around the paediatric register of inflammatory bowel disease, **891**
- disseminated**, Disseminated congenital neuroblastoma presenting at birth, **191**
- district hospital**, Improving the quality of paediatric care in peripheral hospitals in developing countries, **563**
- docosahexaenoic acid**, Long term effects of long chain polyunsaturated fats in hyperphenylalaninemic children, **582**
- doctor-patient communication**, The doctor, the father, and the social scientist, **44**
- dosage**, Difficult asthma in children, **168**
- dose-response**, Fluticasone propionate in asthma: a long term dose comparison study, **503**
- Down syndrome**, Subclinical hypothyroidism and Down's syndrome: studies on myocardial structure and function, **1005**
- Down's syndrome**, Metrorrhagia and precocious puberty revealing primary hypothyroidism in a child with Down's syndrome, **330**
- Thyroid screening in Down's syndrome: current patterns in the UK, **647**
- drooling**, A systematic review for evidence of efficacy of anticholinergic drugs to treat drooling, **911**
- drug delivery**, Funhaler spacer: improving adherence without compromising delivery, **579**
- drug dosage**, Gentamicin usage in newborns: an audit, **645**
- drug toxicity**, Safety of herbal medicines in children, **1032**
- dual energy x-ray absorptiometry**, Lean body mass in children with cystic fibrosis, **836**
- The effects of obesity on pulmonary function, **361**
- Duchenne muscular dystrophy**, Bladder dysfunction in Duchenne muscular dystrophy, **347**
- dumbbell tumour**, CT radiation doses, **743**
- Dumbbell tumour of the mediastinum, **117**
- duodenal ulcer**, Perforated duodenal ulcer disclosing medium chain acyl-CoA dehydrogenase deficiency, **88**
- DXA**, Bone densitometry in children assessed by dual x ray absorptiometry: uses and pitfalls, **795**
- dysphagia**, Dysphagia caused by a foreign body, **1017**
- early literacy**, The developing brain and early learning, **651**
- economic evaluation**, The economic burden of environmental tobacco smoke in the first year of life, **767**
- Varicella vaccination in England and Wales: cost-utility analysis, **862**
- economics**, Efficiency of alternative policy options for screening for developmental dysplasia of the hip in the United Kingdom, **760**
- education**, Chronic fatigue syndrome in children: a cross sectional survey, **894**
- Education and training in the paediatric senior house officer grade: analysis of RCPC hospital/child health visits reports, 1997–2001, **450**
- Forty years of the Paediatric Research Society in the United Kingdom, **4**
- Prevention of severe hypoglycaemia in type 1 diabetes: a randomised controlled population study, **240**
- Tell me a story ... What can paediatricians gain from reading stories?, **635**
- elephant trunk deformity**, Cloacal exstrophy, **277**
- elidel**, Systemic exposure, tolerability, and efficacy of pimecrolimus cream 1% in atopic dermatitis patients, **969**
- ELISA**, An observational study to detect leptospirosis in Mumbai, India, 2000, **1070**
- Detection of leptospirosis in India, **1033**
- embolisation**, Safe retrieval of impacted central venous line, **630**
- emergency department**, Effect of a rapid influenza diagnosis, **525**
- emergency inhaler**, Emergency asthma inhalers in school, **384**
- emotion**, Six month impact of false positives in an Australian infant hearing screening programme, **20**
- emphysema**, The potential of recombinant surfactant protein D therapy to reduce inflammation in neonatal chronic lung disease, cystic fibrosis, and emphysema, **981**
- empyema**, Empyema thoracis: not time to put down the knife, **842**
- Management of parapneumonic effusion and empyema, **915**
- Management of thoracic empyema in childhood: does the pleural thickening matter?, **918**
- Thoracic empyema, **839**
- empyema thoracis**, Empyema thoracis: a 10-year comparative review of hospitalised children from south Asia, **1009**
- Time for a randomised controlled trial of empyema treatment?, **273**
- enamel defects**, Oral health and related factors in cystic fibrosis and other chronic respiratory disorders, **702**
- encephalitis**, LP and Glasgow coma score, **177**
- More lumbar punctures, please!, **177**
- enuresis alarm**, A new urine collection method; pad and moisture sensitive alarm, **743**
- A new urine collection method; pad and moisture sensitive alarm, **836**
- environment**, Brain function, **954**
- environmental tobacco smoke**, Adverse health effects of prenatal and postnatal tobacco smoke exposure on children, **1086**
- The economic burden of environmental tobacco smoke in the first year of life, **767**
- epidemiology**, A decade of change: tuberculosis in England and Wales 1988–98, **772**
- Birth prevalence of Prader-Willi syndrome in Australia, **263**
- Clinical and epidemiological picture of *B pertussis* and *B parapertussis* infections after introduction of acellular pertussis vaccines, **684**
- Epidemiology of paediatric renal stone disease in the UK, **962**
- Low back pain in schoolchildren: the role of mechanical and psychosocial factors, **12**
- Presenting features of inflammatory bowel disease in Great Britain and Ireland, **995**
- Sudden infant death syndrome, **1031**
- Sudden infant death syndrome: a critical review of approaches to research, **1095**
- The clinical and health economic burden of respiratory syncytial virus disease among children under 2 years of age in a defined geographical area, **1065**
- The epidemiology of acute meningitis in children in England and Wales, **662**
- Variations in initial assessment and management of inflammatory bowel disease across Great Britain and Ireland, **990**
- epilepsy**, Mortality in paediatric epilepsy, **1091**
- Neurocysticercosis in West London, **471**
- erythromelalgia**, The use of regional anaesthetic blockade in a child with recurrent erythromelalgia, **65**
- erythropoiesis**, Association between blood lead concentrations and body iron status in children, **791**
- Escherichia coli**, Increasing antibiotic resistance among urinary tract isolates, **444**
- etanercept**, Biologic therapies for juvenile arthritis, **186**
- ethics**, Spinal muscular atrophy-type 1, **848**
- ethnic group**, Infant care practices related to cot death in Turkish and Moroccan families in the Netherlands, **784**
- ethnic groups**, Hepatitis B incidence among South Asian children in England and Wales: implications for immunisation policy, **1082**
- evidence appraisal**, Health consequences of obesity, **745**
- evidence based**, Evidence based guidelines for the performance of the sweat test for the investigation of cystic fibrosis in the UK, **1126**

- evidence based medicine**, On Archimedes, 176
- exclusive breast feeding**, Maternal recall of exclusive breast feeding duration, 778
- exercise**, Perception of exercise induced asthma by children and their parents, 807
- exercise test**, Prospective randomised treatment with recombinant human growth hormone in cystic fibrosis, 1078
- exhaled breath condensate**, Safety and success of exhaled breath condensate collection in asthma, 358
- extemporaneous dispensing**, Making medicines that children can take, 369
- false aneurysm**, Radial artery pseudoaneurysm successfully treated by compression bandage, 165
- false positive**, Six month impact of false positives in an Australian infant hearing screening programme, 20
- family decision making**, Spinal muscular atrophy-type I, 848
- family impact**, Disease severity and associated family impact in childhood atopic dermatitis, 423
- fatality**, Pharmacogenomic can give children safer medicines, 366
- febrile convulsion**, A self-fulfilling prophesy?, 178
Towards evidence based medicine for paediatricians, 638
- febrile convulsions**, Pre-eclampsia and febrile convulsions, 726
- febrile seizure**, Pre-eclampsia and febrile convulsions, 726
- feed reconstitution**, Formula feed preparation: helping reduce the risks; a systematic review, 855
- feeding**, Towards evidence based medicine for paediatricians, 454
- female**, Female sexual health care in cystic fibrosis, 265
- fertility**, Preservation of fertility in children treated for cancer, 493
- fever**, Fever in returned travellers: a prospective review of hospital admissions for a 2½ year period, 432
Hepatosplenic cat scratch disease treated with corticosteroids, 345
Is life long follow up for patients with Kawasaki disease indicated?, 91
- fibrinolysis**, Empyema thoracis: not time to put down the knife, 842
Management of parapneumonic effusion and empyema, 915
- fibula**, Fractured fibula can mimic irritable hip, 167
- fluid management**, Ketoacid levels may alter osmoticity in diabetic ketoacidosis and precipitate cerebral edema, 367
- fluticasone propionate**, Fluticasone propionate in asthma: a long term dose comparison study, 503
- fog**, Intussusception and the great smog of London, December 1952, 1040
- follow up assessment**, Development and evaluation of a follow up assessment of preterm infants at 5 years of age, 870
- food**, Food allergy in childhood, 742
Respiratory problems in children with neurological impairment, 75
- foreign body**, Auto-intussuscepting foreign body, 654
Dysphagia caused by a foreign body, 1017
- formula**, Early detection of hypertension in general practice, 302
- formula feeding**, Formula feed preparation: helping reduce the risks; a systematic review, 855
- formulation**, Making medicines that children can take, 369
- foscymycin**, Fosfomycin for the initial treatment of acute haematogenous osteomyelitis, 512
- fracture**, Fractured fibula can mimic irritable hip, 167
- functional**, Semeiology—a well established and challenging paediatric speciality, 281
- ganglioneuroblastoma**, Ganglioneuroblastoma presenting as dilated cardiomyopathy, 162
- gastroenteritis**, Towards evidence based medicine for paediatricians, 454
- [gb lactams**, Fosfomycin for the initial treatment of acute haematogenous osteomyelitis, 512
- GCSE**, General Certificate of Secondary Education performance in very low birthweight infants, 295
- gene**, Brain function, 954
- general anaesthesia**, General anaesthesia or conscious sedation for painful procedures in childhood cancer: the family's perspective, 253
- genetic counselling**, Genetic counselling after carrier detection by newborn screening when one parent carries $\Delta F508$ and the other R117H, 886
- genetics**, Birth prevalence of Prader-Willi syndrome in Australia, 263
- gentamicin**, Gentamicin usage in newborns: an audit, 645
- glucose**, Glucose metabolism in sleep disordered breathing, 89
- government strategy**, Randomised controlled trial of site specific advice on school travel patterns, 8
- graft**, Renal transplantation, 844
- Grisel syndrome**, An unusual life threatening cause of torticollis in a child, 349
- Grisel's syndrome**, Inflammatory C2–3 subluxation: a Grisel's syndrome variant, 628
- group B streptococci**, Late onset group B streptococcal disease manifested by isolated cervical lymphadenitis, 1019
- growth**, Growth impairment in the very preterm and cognitive and motor performance at 7 years, 482
Management of childhood osteoporosis, 91
Newborn screening for Duchenne muscular dystrophy, 91
Postnatal depression and infant growth and development in low income countries: a cohort study from Goa, India, 34
Secular trends in growth in diabetes: are we winning?, 151
- growth factor**, Hyperinsulinism and overgrowth without obesity, 332
- growth faltering**, Timing of growth faltering in rural Malawi, 574
- growth hormone**, Growth hormone therapy in the Prader-Willi syndrome, 283
- growth impairment**, Presenting features of inflammatory bowel disease in Great Britain and Ireland, 995
- growth monitoring**, Coexistence of social inequalities in undernutrition and obesity in preschool children: population based cross sectional study, 671
- guideline**, Evidence based guidelines for the performance of the sweat test for the investigation of cystic fibrosis in the UK, 1126
- guidelines**, National guideline for the management of suspected sexually transmitted infections in children and young people, 303
Surgical management of ambiguous genitalia, 799
- Guillain-Barré syndrome**, Haemolytic anaemia associated with high dose intravenous immunoglobulin therapy in a child with Guillain-Barré syndrome, 836
- haemolytic anaemia**, Haemolytic anaemia associated with high dose intravenous immunoglobulin therapy in a child with Guillain-Barré syndrome, 836
- Haemophilus**, Immunologic memory in *Haemophilus influenzae* type b conjugate vaccine failure, 379
- Haemophilus influenzae**, Hib vaccination in infants born prematurely, 206
- Haemophilus influenzae, meningitis**, Chloramphenicol or ceftriaxone, or both, as treatment for meningitis in developing countries?, 536
- Halolite**, Comparison of lung deposition of colomycin using the Halolite and the Pari LC Plus nebulisers in patients with cystic fibrosis, 715
- Hashimoto thyroiditis**, Chronic urticaria: association with thyroid autoimmunity, 517
- HBV**, Hepatitis B incidence among South Asian children in England and Wales: implications for immunisation policy, 1082
- head injury**, Can mild head injury cause ischaemic stroke?, 267
Cycle helmets, 465
Running around in circles following ischemic stroke, 742
- health**, Health consequences of obesity, 745
- health care**, Improving the quality of paediatric care in peripheral hospitals in developing countries, 563
Performance, treatment pathways, and effects of alternative policy options for screening for developmental dysplasia of the hip in the United Kingdom, 753
- health inequality**, Coexistence of social inequalities in undernutrition and obesity in preschool children: population based cross sectional study, 671
- health policy**, Efficiency of alternative policy options for screening for developmental dysplasia of the hip in the United Kingdom, 760
- health problem**, Parent reported longstanding health problems in early childhood: a cohort study, 570
- health promotion**, Baby walkers: paediatricians' knowledge, attitudes, and health promotion, 1084
Female sexual health care in cystic fibrosis, 265
- health protection**, Health protection and a new strategy for combating infection in children, 1
- hearing impairment**, Improving hearing assessment of children post-meningitis, 976
Screening and follow up assessment in three cases of auditory neuropathy, 25
- hearing loss**, Cochlear implantation for progressive hearing loss, 708
- heart murmur**, Towards evidence based medicine for paediatricians, 638
- heart transplant**, Nocturnal enuresis is a common complication following cardiac transplantation, 1048

- height measurement**, Height screening at school: ineffective without high standards and adequate resources, **477**
- Helicobacter pylori***, The relationship between *Helicobacter pylori* infection and iron deficiency: seroprevalence study in 937 pubescent children, **178**
- helmet**, Cycle helmets, **465**
- henna tattoo**, Allergic contact dermatitis to henna tattoo, **752**
- Henoch-Schönlein purpura**, Jejunal haemorrhage in Henoch-Schönlein syndrome, **434**
- hepatitis B virus**, Another case of HBV associated membranous glomerulonephritis resolving on lamivudine, **366**
Another case of HBV associated membranous glomerulonephritis resolving on lamivudine, **460**
HBV associated nephrotic syndrome: resolution with oral lamivudine, **446**
Hepatitis B incidence among South Asian children in England and Wales: implications for immunisation policy, **1082**
- hepatitis C**, An unusual presentation of perinatally transmitted hepatitis C, **160**
- herbal cream**, Herbal creams used for atopic eczema in Birmingham, UK illegally contain potent corticosteroids, **1056**
- herbal medicines**, Safety of herbal medicines in children, **1032**
- high-dose fluticasone**, Adrenal crisis due to inhaled steroids is underestimated, **554**
Moderately high doses still need to be considered for very young children, **555**
Use of inhaled corticosteroids in children, **461**
- hip**, Fractured fibula can mimic irritable hip, **167**
- hip dislocation**, Efficiency of alternative policy options for screening for developmental dysplasia of the hip in the United Kingdom, **760**
Performance, treatment pathways, and effects of alternative policy options for screening for developmental dysplasia of the hip in the United Kingdom, **753**
- history**, The British Association of Perinatal Medicine: the first 25 years (1976–2000), **181**
- HIV**, The effect of HIV infection on paediatric bacterial meningitis in Blantyre, Malawi, **1112**
- hood**, Nebuliser hood compared to mask in wheezy infants: aerosol therapy without tears!, **719**
- hospital stay**, Empyema thoracis: a 10-year comparative review of hospitalised children from south Asia, **1009**
- human patient simulation**, Medical training in the UK, **655**
- humanities**, Once upon a time , **545**
- humoral immunodeficiency**, Pulmonary and sinus diseases in primary humoral immunodeficiencies with chronic productive cough, **1101**
- hyperglycaemia**, Changes in serum sodium levels during treatment of hyperglycaemia, **647**
Importance of timing of risk factors for cerebral oedema during therapy for diabetic ketoacidosis, **170**
- hypergonadotrophic**, Restoration of ovarian function after chemotherapy for osteosarcoma, **428**
- hyperinsulinism**, Transient hyperinsulinism associated with macrosomia, hypertrophic obstructive cardiomyopathy, hepatomegaly, and nephromegaly, **822**
- hyperkalaemia**, The use of sodium resonium in pseudohypoaldosteronism, **1138**
- hypernatraemia**, Formula feed preparation: helping reduce the risks; a systematic review, **855**
- hyperphenylalaninemic**, Long term effects of long chain polyunsaturated fats in hyperphenylalaninemic children, **582**
- hypertension**, Blood pressure in sleep disordered breathing, **139**
Early detection of hypertension in general practice, **302**
- hypertension, uveitis**, Acute panuveitis and Takayasu's arteritis, **938**
- hypocalcaemia**, Hypocalcaemia and calcitonin precursors in critically ill patients, **179**
Hypoparathyroidism and 22q11 deletion syndrome, **520**
The investigation of hypocalcaemia and rickets, **403**
- hypogammaglobulinaemia**, Pulmonary and sinus diseases in primary humoral immunodeficiencies with chronic productive cough, **1101**
- hypoglycaemia**, Abnormal blood glucose concentrations on admission to a rural Kenyan district hospital: prevalence and outcome, **621**
Prevention of severe hypoglycaemia in type I diabetes: a randomised controlled population study, **240**
Transient hyperinsulinism associated with macrosomia, hypertrophic obstructive cardiomyopathy, hepatomegaly, and nephromegaly, **822**
- hypoglycaemia, beta-agonist**, The incidence of hypoglycaemia in children with type 1 diabetes and treated asthma, **155**
- hyponatraemia**, Fatal iatrogenic hyponatraemia, **646**
- hypoparathyroidism**, Hypoparathyroidism and 22q11 deletion syndrome, **520**
The investigation of hypocalcaemia and rickets, **403**
- hypothermia**, Hypothermia in a child secondary to ibuprofen, **87**
Prolonged hypothermia following respiratory syncytial viral infection in infancy, **69**
- hypothyroidism**, Metrorrhagia and precocious puberty revealing primary hypothyroidism in a child with Down's syndrome, **330**
Newborn screening for Duchenne muscular dystrophy, **91**
- hypoxaemia**, Hypoxaemia in children: 'abnormal' values may be misleading, **364**
Hypoxaemia in developing countries, **365**
Response to Duke *et al*, **364**
- hypoxic ischaemia**, Apnoea and brain swelling in non-accidental head injury, **472**
- iatrogenic**, Fatal iatrogenic hyponatraemia, **646**
- ibuprofen**, Hypothermia in a child secondary to ibuprofen, **87**
Population pharmacokinetics of high dose ibuprofen in cystic fibrosis, **1128**
- IgE**, Is there a role for treatment of asthma with omalizumab?, **71**
- imaging**, Cranial MRI scans are indicated in all girls with central precocious puberty, **414**
- immigration**, Desperately seeking asylum, **239**
- immune interference**, Bacterial infections, immune overload, and MMR vaccine, **222**
- immune overload**, Bacterial infections, immune overload, and MMR vaccine, **222**
- immunisation**, How many episodes of hospital care might be prevented by widespread uptake of pneumococcal conjugate vaccine?, **859**
Influenza vaccine, **665**
Varicella vaccination in England and Wales: cost-utility analysis, **862**
- immunisation policy**, Hepatitis B incidence among South Asian children in England and Wales: implications for immunisation policy, **1082**
- immunisation programme**, Severe and unrecognised: pertussis in UK infants, **802**
- immunisation status**, Does providing social services with information and advice on immunisation status of 'looked after children' improve uptake?, **299**
- immunodeficiency**, Anhidrotic ectodermal dysplasia and immunodeficiency: the role of NEMO, **340**
- immunoglobulin**, Haemolytic anaemia associated with high dose intravenous immunoglobulin therapy in a child with Guillain-Barré syndrome, **836**
- immunologic memory**, Immunologic memory in *Haemophilus influenzae* type b conjugate vaccine failure, **379**
- immunology**, The challenge of mastitis, **818**
- immunomodulatory drug**, *Mycoplasma pneumoniae* associated organising pneumonia in a 10 year old boy, **270**
- immunosuppressive**, Renal transplantation, **844**
- imported infections**, Fever in returned travellers: a prospective review of hospital admissions for a 2½ year period, **432**
- incidence**, Clinical and epidemiological picture of *B pertussis* and *B parapertussis* infections after introduction of acellular pertussis vaccines, **684**
Food allergy in childhood, **742**
Respiratory problems in children with neurological impairment, **75**
- inequality**, Inequalities in cycle helmet use: cross sectional survey in schools in deprived areas of Nottingham, **876**
- infancy**, Brain haemorrhage in five infants with coagulopathy, **1119**
- infant**, Adverse health effects of prenatal and postnatal tobacco smoke exposure on children, **1086**
Altered arousal response in infants exposed to cigarette smoke, **30**
Breast feeding and respiratory morbidity in infancy: a birth cohort study, **224**
Bronchoalveolar lavage cellularity in infants with severe respiratory syncytial virus bronchiolitis, **922**
Causes and outcome of young infant admissions to a Kenyan district hospital, **438**
Cultural representation of newborn feeding, **555**
Nebuliser hood compared to mask in wheezy infants: aerosol therapy without tears!, **719**
Shaking infant trauma induced by misuse of a baby chair, **632**

- infant care practices**, Infant care practices related to cot death in Turkish and Moroccan families in the Netherlands, **784**
- infant constipation**, Containing anxiety in the management of constipation, **1038**
- infant death**, Sudden unexpected death in infancy associated with maltreatment: evidence from long term follow up of siblings, **699**
- infant health**, The economic burden of environmental tobacco smoke in the first year of life, **767**
- infant mortality**, The effect of sanctions on children of Iraq, **92**
- infant nutrition**, Weaning of infants, **488**
- infant walkers**, Baby walkers: paediatricians' knowledge, attitudes, and health promotion, **1084**
- infantile hypertrophic pyloric stenosis**, Intravenous atropine treatment in infantile hypertrophic pyloric stenosis, **87**
- infantile meningitis**, Long term follow up after meningitis in infancy: behaviour of teenagers, **395**
- infants**, Bronchodilation in infants with malacia or recurrent wheeze, **246**
- infection**, An unusual life threatening cause of torticollis in a child, **349**
Anti B cell targeted immunotherapy for treatment of refractory autoimmune haemolytic anaemia in a young infant, **337**
Health protection and a new strategy for combating infection in children, **1**
- infectious diseases**, Environmental risk factors for type 1 diabetes in Rome and province, **695**
- infiltrating angiolipoma**, Kasabach-Merritt syndrome and interferon alpha: still a controversial issue, **645**
Successful treatment with interferon alpha in infiltrating angiolipoma: a case presenting with Kasabach-Merritt syndrome, **67**
- inflammatory bowel disease**, Issues and experience around the paediatric register of inflammatory bowel disease, **891**
Presenting features of inflammatory bowel disease in Great Britain and Ireland, **995**
Variations in initial assessment and management of inflammatory bowel disease across Great Britain and Ireland, **990**
- inflammatory cervical subluxation**, Inflammatory C2-3 subluxation: a Grisel's syndrome variant, **628**
- inflammatory diarrhoea**, Corticosteroid treatment of severe, non-responsive *Clostridium difficile* induced colitis, **342**
- influenza**, Effect of a rapid influenza diagnosis, **525**
- influenza vaccine**, Influenza vaccine, **665**
- influenza-like illness**, Effect of a rapid influenza diagnosis, **525**
- inhalation therapy**, Nebuliser hood compared to mask in wheezy infants: aerosol therapy without tears!, **719**
- inhaled corticosteroids**, Adrenal crisis due to inhaled steroids is underestimated, **554**
Difficult asthma in children, **168**
Moderately high doses still need to be considered for very young children, **555**
Use of inhaled corticosteroids in children, **461**
- inhaled steroids**, Safety of inhaled corticosteroids delivered by plastic and metal spacers, **527**
- inhaler**, Comparative efficacy of terbutaline sulphate delivered by Turbuhaler dry powder inhaler or pressurised metered dose inhaler with Nebuhaler spacer in children during an acute asthmatic episode, **319**
- inherited coagulopathy**, Brain haemorrhage in five infants with coagulopathy, **1119**
- injuries**, Baby walkers: paediatricians' knowledge, attitudes, and health promotion, **1084**
- injury**, Accident prevention, **275**
Category D: unknown whether ill treatment is cause, **645**
Classification of child abuse by motive and degree rather than type of injury, **101**
- injury prevention**, Inequalities in cycle helmet use: cross sectional survey in schools in deprived areas of Nottingham, **876**
- insulin**, Changes in serum sodium levels during treatment of hyperglycaemia, **647**
Hyperinsulinism and overgrowth without obesity, **332**
Importance of timing of risk factors for cerebral oedema during therapy for diabetic ketoacidosis, **170**
- insulin pump**, Insulin pumps, **949**
- insulin-like growth factor**, Insulin-like growth factor I correlates with lean body mass in cystic fibrosis patients, **956**
- intensive care**, Are interhospital transport teams de-skilling the DGH paediatricians?, **177**
Medical training in the UK, **655**
Monitoring cardiac function in intensive care, **46**
Psychological management of two cases of self injury on the paediatric intensive care unit, **335**
- interferon alfa**, Successful treatment with interferon alfa in infiltrating angiolipoma: a case presenting with Kasabach-Merritt syndrome, **67**
- interferon alpha**, Kasabach-Merritt syndrome and interferon alpha: still a controversial issue, **645**
- interhospital transport**, Are interhospital transport teams de-skilling the DGH paediatricians?, **177**
- internet**, ISABEL: a web-based differential diagnostic aid for paediatrics: results from an initial performance evaluation, **408**
- intersex**, Surgical management of ambiguous genitalia, **799**
- intervention**, Preventing sleeping problems in infants who are at risk of developing them, **108**
- intra-articular**, Intra-articular corticosteroid injections in juvenile idiopathic arthritis, **192**
- intracranial haemorrhage**, Brain haemorrhage in five infants with coagulopathy, **1119**
- intrauterine growth restriction**, Lung function and low birth weight, **742**
Lung function and respiratory health in adolescents of very low birth weight, **135**
- intussusception**, Auto-intussuscepting foreign body, **654**
Intussusception and the great smog of London, December 1952, **1040**
- invasive fungal infections**, Role of itraconazole in haematology/oncology, **258**
- invasive pneumococcal disease**, How many episodes of hospital care might be prevented by widespread uptake of pneumococcal conjugate vaccine?, **859**
- Iraq**, The effect of sanctions on children of Iraq, **92**
- iron deficiency**, Association between blood lead concentrations and body iron status in children, **791**
The relationship between *Helicobacter pylori* infection and iron deficiency: seroprevalence study in 937 pubescent children, **178**
- irritable**, Fractured fibula can mimic irritable hip, **167**
- IRT, immunoreactive trypsinogen**, Genetic counselling after carrier detection by newborn screening when one parent carries $\Delta F508$ and the other R117H, **886**
- islet transplant**, Islet transplant: an option for childhood diabetes?, **591**
- isotonic saline**, Changes in serum sodium levels during treatment of hyperglycaemia, **647**
Importance of timing of risk factors for cerebral oedema during therapy for diabetic ketoacidosis, **170**
- itraconazole**, Role of itraconazole in haematology/oncology, **258**
- jejunum**, Jejunal haemorrhage in Henoch-Schönlein syndrome, **434**
- juvenile**, Images in paediatrics: Pseudoporphyria secondary to non-steroidal anti-inflammatory drugs, **961**
- juvenile idiopathic arthritis**, Biologic therapies for juvenile arthritis, **186**
Intra-articular corticosteroid injections in juvenile idiopathic arthritis, **192**
Use of methotrexate in juvenile idiopathic arthritis, **197**
- juvenile idiopathic transplantation**, Use of methotrexate in juvenile idiopathic arthritis, **197**
- juvenile onset spondyloarthropathy**, Juvenile onset spondyloarthropathies: therapeutic aspects, **312**
- Kasabach-Merritt syndrome**, Kasabach-Merritt syndrome and interferon alpha: still a controversial issue, **645**
Successful treatment with interferon alfa in infiltrating angiolipoma: a case presenting with Kasabach-Merritt syndrome, **67**
- Kawasaki disease**, Is life long follow up for patients with Kawasaki disease indicated?, **91**
'Unresolving pneumonia' as the main manifestation of atypical Kawasaki disease, **940**
- knee pain**, Posterior knee pain: primary symptom of a small non-occlusive venous clot, **728**
- knowledge**, Baby walkers: paediatricians' knowledge, attitudes, and health promotion, **1084**
- kwashiorkor**, Cystic fibrosis presenting as kwashiorkor in a Sri Lankan infant, **724**
- lamivudine**, Another case of HBV associated membranous glomerulonephritis resolving on lamivudine, **366**
Another case of HBV associated membranous glomerulonephritis resolving on lamivudine, **460**
HBV associated nephrotic syndrome: resolution with oral lamivudine, **446**

- Langerhans cell histiocytosis**, Acute ataxia complicating Langerhans cell histiocytosis, **178**
- language**, Divided by a common language, **37**
The developing brain and early learning, **651**
- laser**, Recent developments in lasers and the treatment of birthmarks, **372**
- last sleep period**, Factors relating to the infant's last sleep environment in sudden infant death syndrome in the Republic of Ireland, **1058**
- late onset disease**, Late onset group B streptococcal disease manifested by isolated cervical lymphadenitis, **1019**
- late presentation**, Bochdalek diaphragmatic hernia: not only a neonatal disease, **532**
- lead**, Association between blood lead concentrations and body iron status in children, **791**
- lean body mass**, Insulin-like growth factor I correlates with lean body mass in cystic fibrosis patients, **956**
Lean body mass in children with cystic fibrosis, **836**
Prospective randomised treatment with recombinant human growth hormone in cystic fibrosis, **1078**
- learning**, The developing brain and early learning, **651**
- leptospirosis**, An observational study to detect leptospirosis in Mumbai, India, 2000, **1070**
Detection of leptospirosis in India, **1033**
- Les Misérables**, From Cosette to Climbié: 'Progress is the aim, the ideal is the model', **562**
- lessons**, A seven year experience of medical emergencies in the assessment unit, **125**
- leukaemia**, Attentional ability among survivors of leukaemia treated without cranial irradiation, **147**
General anaesthesia or conscious sedation for painful procedures in childhood cancer: the family's perspective, **253**
- licensing of medicines**, Making medicines that children can take, **369**
- life support course**, Resuscitation training of paediatricians, **118**
- likelihood ratio**, Towards evidence based medicine for paediatricians, **82**
- lip laceration**, Towards evidence based medicine for paediatricians, **82**
- lipoblastoma**, CT radiation doses, **743**
Dumbbell tumour of the mediastinum, **117**
- literature**, Once upon a time, **545**
Tell me a story ... What can paediatricians gain from reading stories?, **635**
- liver biopsy**, An unusual presentation of perinatally transmitted hepatitis C, **160**
- London**, Intussusception and the great smog of London, December 1952, **1040**
- long chain polyunsaturated fatty acids**, Long term effects of long chain polyunsaturated fats in hyperphenylalaninemic children, **582**
- longitudinal**, Timing of growth faltering in rural Malawi, **574**
- looked after**, Does providing social services with information and advice on immunisation status of 'looked after children' improve uptake?, **299**
- low back pain**, Low back pain in schoolchildren: the role of mechanical and psychosocial factors, **12**
- low birth weight**, Infant to staff ratios and risk of mortality in very low birth weight infants, **1138**
- L-selectin**, Systemic neutrophil activation in acute preschool viral wheeze, **529**
- lumbar puncture**, A self-fulfilling prophesy?, **178**
LP and Glasgow coma score, **177**
More lumbar punctures, please!, **177**
- lung function**, Lung function and low birth weight, **742**
Lung function and respiratory health in adolescents of very low birth weight, **135**
Management of thoracic empyema in childhood: does the pleural thickening matter?, **918**
Usefulness of monitoring lung function in asthma, **1021**
- lung scan**, Non-invasive diagnosis of tracheobronchomalacia using a modified ventilation radioisotope lung scan, **1122**
- lymphadenitis**, Late onset group B streptococcal disease manifested by isolated cervical lymphadenitis, **1019**
- lymphadenopathy**, Is life long follow up for patients with Kawasaki disease indicated?, **91**
- malaria**, Fever in returned travellers: a prospective review of hospital admissions for a 2½ year period, **432**
Thrombocytopenia and *Plasmodium falciparum* malaria in children with different exposures, **540**
- Malawi**, Timing of growth faltering in rural Malawi, **574**
- malignant hyperthermia**, Central core disease: clinical, pathological, and genetic features, **1051**
- malnutrition**, Insulin-like growth factor I correlates with lean body mass in cystic fibrosis patients, **956**
- maltreatment**, Sudden unexpected death in infancy associated with maltreatment: evidence from long term follow up of siblings, **699**
Towards evidence based medicine for paediatricians, **638**
- mask**, Nebuliser hood compared to mask in wheezy infants: aerosol therapy without tears!, **719**
- mass screening**, Efficiency of alternative policy options for screening for developmental dysplasia of the hip in the United Kingdom, **760**
Performance, treatment pathways, and effects of alternative policy options for screening for developmental dysplasia of the hip in the United Kingdom, **753**
- mastitis**, The challenge of mastitis, **818**
- maternofetal parvovirus B19 infection**, Long term follow up of serostatus after maternofetal parvovirus B19 infection, **219**
- mechanical load**, Low back pain in schoolchildren: the role of mechanical and psychosocial factors, **12**
- mechanical ventilation**, Spinal muscular atrophy-type I, **848**
- medical error**, ISABEL: a web-based differential diagnostic aid for paediatrics: results from an initial performance evaluation, **408**
- melatonin**, Medication for sleep-wake disorders, **899**
- membranous glomerulonephropathy**, HBV associated nephrotic syndrome: resolution with oral lamivudine, **446**
- membranous glomerulopathy**, Another case of HBV associated membranous glomerulonephritis resolving on lamivudine, **366**
Another case of HBV associated membranous glomerulonephritis resolving on lamivudine, **460**
- meningitis**, A self-fulfilling prophesy?, **178**
Diagnosis and treatment of bacterial meningitis, **615**
Improving hearing assessment of children post-meningitis, **976**
Invasive pneumococcal disease in Oxford, 1985–2001: a retrospective case series, **712**
LP and Glasgow coma score, **177**
More lumbar punctures, please!, **177**
Pathophysiology of meningococcal meningitis and septicaemia, **601**
The effect of HIV infection on paediatric bacterial meningitis in Blantyre, Malawi, **1112**
The epidemiology of acute meningitis in children in England and Wales, **662**
Treatment of meningococcal infection, **608**
- meningococcal infection**, Pathophysiology of meningococcal meningitis and septicaemia, **601**
- meningococcal disease**, Immune complex associated complications in the subacute phase of meningococcal disease: incidence and literature review, **927**
- meningococcal infection**, Treatment of meningococcal infection, **608**
- meningococcal infections**, Hypocalcaemia and calcitonin precursors in critically ill patients, **179**
- mental health**, Community child health training, **97**
Refugee children: don't replace one form of severe adversity with another, **365**
- meta-analysis**, Antibiotics and surgery for vesicoureteric reflux: a meta-analysis of randomised controlled trials, **688**
Short versus standard duration antibiotic treatment for UTIs: a comparison of two meta-analyses, **89**
Towards evidence based medicine for paediatricians, **831**
- metabolic**, Epidemiology of paediatric renal stone disease in the UK, **962**
- metabolic acidosis**, Hypoalbuminaemia in critically ill children: incidence, prognosis, and influence on the anion gap, **419**
- metabolism**, Glucose metabolism in sleep disordered breathing, **89**
- metastases**, Disseminated congenital neuroblastoma presenting at birth, **191**
- methotrexate**, Use of methotrexate in juvenile idiopathic arthritis, **197**
- metrorrhagia**, Metrorrhagia and precocious puberty revealing primary hypothyroidism in a child with Down's syndrome, **330**
- microplate hybridisation**, BK virus DNA in CSF of immunocompetent and immunocompromised patients, **174**
- migraine**, Evaluation of vestibular functions in children with vertigo attacks, **510**
- milk**, The challenge of mastitis, **818**
- mitral valve prolapse**, Successful radioiodine treatment in a 3 year old child with Graves' disease following antithyroid medication induced neutropenia, **158**

- MMR vaccine**, Bacterial infections, immune overload, and MMR vaccine, **222**
Prevalence of autism and parentally reported triggers in a north east London population, **666**
- monitoring**, Usefulness of monitoring lung function in asthma, **1021**
- morbidity**, Health effects of family size: cross sectional survey in Chinese adolescents, **467**
How many episodes of hospital care might be prevented by widespread uptake of pneumococcal conjugate vaccine?, **859**
Signs and symptoms of illness in early infancy: associations with sudden infant death, **1001**
- mortality**, Abnormal blood glucose concentrations on admission to a rural Kenyan district hospital: prevalence and outcome, **621**
Causes and outcome of young infant admissions to a Kenyan district hospital, **438**
Hypoalbuminaemia in critically ill children: incidence, prognosis, and influence on the anion gap, **419**
Infant to staff ratios and risk of mortality in very low birth weight infants, **1138**
Survival of children born with congenital anomalies, **391**
- mother to child transmission of HIV**, Maternal recall of exclusive breast feeding duration, **778**
- motivational interviewing**, A pilot study of motivational interviewing in adolescents with diabetes, **680**
- motor development**, Development and evaluation of a follow up assessment of preterm infants at 5 years of age, **870**
- MRI**, Acute disseminated encephalomyelitis: recognition in the hands of general paediatricians, **122**
Cranial MRI scans are indicated in all girls with central precocious puberty, **414**
- multidrug resistant**, Culture confirmed multidrug resistant tuberculosis: diagnostic delay, clinical features, and outcome, **1106**
- multiple handicap**, A systematic review for evidence of efficacy of anticholinergic drugs to treat drooling, **911**
- multiple sclerosis**, Acute disseminated encephalomyelitis: recognition in the hands of general paediatricians, **122**
- muscular dystrophy**, Newborn screening for Duchenne muscular dystrophy, **91**
- mutation**, Describing the phenotype in Rett syndrome using a population database, **38**
- Mycobacterium tuberculosis**, Culture confirmed multidrug resistant tuberculosis: diagnostic delay, clinical features, and outcome, **1106**
- Mycoplasma pneumoniae**, *Mycoplasma pneumoniae* associated organising pneumonia in a 10 year old boy, **270**
- myopathy**, Central core disease: clinical, pathological, and genetic features, **1051**
- NAG**, Renal tubular dysfunction in children living in the Aral Sea Region, **966**
- naproxen**, Images in paediatrics: Pseudoporphyria secondary to non-steroidal anti-inflammatory drugs, **961**
- nasopharyngeal carriage**, Pneumococcal nasopharyngeal carriage in children following heptavalent pneumococcal conjugate vaccination in infancy, **211**
- national cohort**, Long term follow up after meningitis in infancy: behaviour of teenagers, **395**
- natural disasters**, An observational study to detect leptospirosis in Mumbai, India, 2000, **1070**
Detection of leptospirosis in India, **1033**
- NBS, newborn screening**, Genetic counselling after carrier detection by newborn screening when one parent carries $\Delta F508$ and the other R117H, **886**
- nebuliser**, Comparative efficacy of terbutaline sulphate delivered by Turbuhaler dry powder inhaler or pressurised metered dose inhaler with Nebuhaler spacer in children during an acute asthmatic episode, **319**
- nebuliser**, Nebuliser hood compared to mask in wheezy infants: aerosol therapy without tears!, **719**
- neglect**, How to distinguish between neglect and deprivation abuse, **105**
- NEMO**, Anhidrotic ectodermal dysplasia and immunodeficiency: the role of NEMO, **340**
- neonatal**, Causes and outcome of young infant admissions to a Kenyan district hospital, **438**
- nephrolithiasis**, Epidemiology of paediatric renal stone disease in the UK, **962**
- nephrotic syndrome**, Another case of HBV associated membranous glomerulonephritis resolving on lamivudine, **366**
Another case of HBV associated membranous glomerulonephritis resolving on lamivudine, **460**
- neuroblastoma**, Disseminated congenital neuroblastoma presenting at birth, **191**
- neurocysticercosis**, Neurocysticercosis in West London, **471**
- neurological impairment**, Respiratory problems in children with neurological impairment, **75**
- neurological morbidity**, Neurocysticercosis in West London, **471**
- neutrophil**, Systemic neutrophil activation in acute preschool viral wheeze, **529**
- newborn hearing**, Screening and follow up assessment in three cases of auditory neuropathy, **25**
- newborn screening**, Genetic counselling after carrier detection by newborn screening when one parent carries $\Delta F508$ and the other R117H, **886**
- NF- κ B**, Anhidrotic ectodermal dysplasia and immunodeficiency: the role of NEMO, **340**
- night waking**, Preventing sleeping problems in infants who are at risk of developing them, **108**
- nitric oxide**, Carbon monoxide concentrations in paediatric sepsis syndrome, **889**
- nitrous oxide**, Intra-articular corticosteroid injections in juvenile idiopathic arthritis, **192**
- nocturnal enuresis**, Nocturnal enuresis is a common complication following cardiac transplantation, **1048**
- non-accidental head injury**, Apnoea and brain swelling in non-accidental head injury, **472**
- non-traumatic cervical subluxation**, Inflammatory C2-3 subluxation: a Grisel's syndrome variant, **628**
- NSAID**, Images in paediatrics: Pseudoporphyria secondary to non-steroidal anti-inflammatory drugs, **961**
Mycoplasma pneumoniae associated organising pneumonia in a 10 year old boy, **270**
- nutrition**, Cultural representation of newborn feeding, **555**
- nutritional status**, Health effects of family size: cross sectional survey in Chinese adolescents, **467**
- obesity**, A controlled study of sleep related disordered breathing in obese children, **1043**
BMI distribution changes in adolescent British girls, **978**
Coexistence of social inequalities in undernutrition and obesity in preschool children: population based cross sectional study, **671**
Health consequences of obesity, **745**
Infant feeding and obesity through the lifecourse, **793**
The effects of obesity on pulmonary function, **361**
The fat of the land, **100**
- odour**, Parental reporting of smelly urine and urinary tract infection, **250**
- omalizumab**, Is there a role for treatment of asthma with omalizumab?, **71**
- One Child Family Policy**, The One Child Family Policy, **463**
- one child policy**, Health effects of family size: cross sectional survey in Chinese adolescents, **467**
- oral health**, Oral health and related factors in cystic fibrosis and other chronic respiratory disorders, **702**
- organ donation**, Renal transplantation, **844**
- organising pneumonia**, *Mycoplasma pneumoniae* associated organising pneumonia in a 10 year old boy, **270**
- oscillatory ventilation**, Towards evidence based medicine for paediatricians, **831**
- osmolality**, Changes in serum sodium levels during treatment of hyperglycaemia, **647**
Importance of timing of risk factors for cerebral oedema during therapy for diabetic ketoacidosis, **170**
- osteocalcin**, Vitamin K supplementation in cystic fibrosis, **974**
- osteogenesis imperfecta**, Oral clodronate as treatment of osteogenesis imperfecta, **945**
- osteoporosis**, Bone densitometry in children assessed by dual x ray absorptiometry: uses and pitfalls, **795**
- osteosarcoma**, Restoration of ovarian function after chemotherapy for osteosarcoma, **428**
- outcome**, Apnoea and brain swelling in non-accidental head injury, **472**
Brain haemorrhage in five infants with coagulopathy, **1119**
Culture confirmed multidrug resistant tuberculosis: diagnostic delay, clinical features, and outcome, **1106**

- Growth impairment in the very preterm and cognitive and motor performance at 7 years, **482**
- Management of thoracic empyema in childhood: does the pleural thickening matter?, **918**
- The effect of HIV infection on paediatric bacterial meningitis in Blantyre, Malawi, **1112**
- outcome and process assessment**, Performance, treatment pathways, and effects of alternative policy options for screening for developmental dysplasia of the hip in the United Kingdom, **753**
- outcome measures**, Chronic fatigue syndrome in children: a cross sectional survey, **894**
- ovarian function**, Restoration of ovarian function after chemotherapy for osteosarcoma, **428**
- overgrowth**, Hyperinsulinism and overgrowth without obesity, **332**
- oxidative stress**, Safety and success of exhaled breath condensate collection in asthma, **358**
- oxygen consumption**, Prospective randomised treatment with recombinant human growth hormone in cystic fibrosis, **1078**
- paediatric intensive care**, Does the use of a specialised paediatric retrieval service result in the loss of vital stabilisation skills among referring hospital staff?, **851**
- paediatric intensive care unit**, Severe and unrecognised: pertussis in UK infants, **802**
- paediatric interhospital transport**, Does the use of a specialised paediatric retrieval service result in the loss of vital stabilisation skills among referring hospital staff?, **851**
- paediatric liaison**, Containing anxiety in the management of constipation, **1038**
- Paediatric Research Society**, Forty years of the Paediatric Research Society in the United Kingdom, **4**
- paediatric retrieval service**, Does the use of a specialised paediatric retrieval service result in the loss of vital stabilisation skills among referring hospital staff?, **851**
- paediatric trauma**, "Labor improbus omnia vincit"; Ambroise Paré and sixteenth century child care, **985**
- paediatrician**, Baby walkers: paediatricians' knowledge, attitudes, and health promotion, **1084**
- pain management**, Restrained rehabilitation: an approach to children and adolescents with conversion disorder, **399**
- painful procedure**, General anaesthesia or conscious sedation for painful procedures in childhood cancer: the family's perspective, **253**
- Pantoea agglomerans**, *Pantoea agglomerans* as a cause of septic arthritis after palm tree thorn injury; case report and literature review, **542**
- paraneoplastic syndrome**, Acute ataxia complicating Langerhans cell histiocytosis, **178**
- paraphenyldiamine**, Allergic contact dermatitis to henna tattoo, **752**
- parasomnia**, Medication for sleep-wake disorders, **899**
- parathyroid hormone**, The investigation of hypocalcaemia and rickets, **403**
- parent**, Perception of exercise induced asthma by children and their parents, **807**
- parental care**, Preventing sleeping problems in infants who are at risk of developing them, **108**
- parental knowledge**, Parental knowledge of school backpack weight and contents, **18**
- parental report**, Parental reporting of smelly urine and urinary tract infection, **250**
- parenting**, The doctor, the father, and the social scientist, **44**
- parenting programme**, Improving mental health through parenting programmes: are the results valid?, **460**
- Improving mental health through parenting programmes: are the results valid?, **553**
- parenting programmes**, Community child health training, **97**
- Pari LC Plus**, Comparison of lung deposition of colomycin using the HaloLite and the Pari LC Plus nebulisers in patients with cystic fibrosis, **715**
- partial splenectomy**, Partial splenectomy in cystic fibrosis patients with hypersplenism, **143, 649**
- passive smoking**, Adverse health effects of prenatal and postnatal tobacco smoke exposure on children, **1086**
- Treatment compliance, passive smoking, and asthma control: a three year cohort study, **229**
- patent ductus arteriosus**, Towards evidence based medicine for paediatricians, **82**
- pathology**, Sudden infant death syndrome, **1031**
- Sudden infant death syndrome: a critical review of approaches to research, **1095**
- patient information**, Cloacal exstrophy, **277**
- PDA**, Pathological demand avoidance syndrome: a necessary distinction within the pervasive developmental disorders, **595**
- pedagogical device**, Prevention of severe hypoglycaemia in type I diabetes: a randomised controlled population study, **240**
- perception**, Perception of exercise induced asthma by children and their parents, **807**
- perinatal transmission**, An unusual presentation of perinatally transmitted hepatitis C, **160**
- periodic fever**, Differential diagnosis of periodic fevers, **92**
- periostitis**, Physiological periostitis; a potential pitfall, **1124**
- pertussis**, Severe and unrecognised: pertussis in UK infants, **802**
- pertussis vaccine**, Clinical and epidemiological picture of *B pertussis* and *B parapertussis* infections after introduction of acellular pertussis vaccines, **684**
- pervasive developmental disorder**, Pathological demand avoidance syndrome: a necessary distinction within the pervasive developmental disorders, **595**
- PFAPA syndrome**, Differential diagnosis of periodic fevers, **92**
- pharyngeal lymphoid tissues**, A controlled study of sleep related disordered breathing in obese children, **1043**
- pharyngitis**, Differential diagnosis of periodic fevers, **92**
- phenotype**, Describing the phenotype in Rett syndrome using a population database, **38**
- phenylketonuria**, Newborn screening for Duchenne muscular dystrophy, **91**
- physician attitude**, Spinal muscular atrophy-type I, **848**
- physiotherapy, rehabilitation**, Restrained rehabilitation: an approach to children and adolescents with conversion disorder, **399**
- pimecrolimus**, Systemic exposure, tolerability, and efficacy of pimecrolimus cream 1% in atopic dermatitis patients, **969**
- PIVKA-II**, Vitamin K supplementation in cystic fibrosis, **974**
- placebo**, Children with autistic spectrum disorders. I: Comparison of placebo and single dose of human synthetic secretin, **731**
- Children with autistic spectrum disorders. II: Parents are unable to distinguish secretin from placebo under double-blind conditions, **737**
- plant**, *Pantoea agglomerans* as a cause of septic arthritis after palm tree thorn injury; case report and literature review, **542**
- plasma phenylalanine**, Are tablets a practical source of protein substitute in phenylketonuria?, **327**
- Plasmodium falciparum**, Thrombocytopenia and *Plasmodium falciparum* malaria in children with different exposures, **540**
- plastic bronchitis**, Treatment of plastic bronchitis in acute chest syndrome of sickle cell disease with intratracheal rhDNase, **626**
- pneumococcal conjugate vaccine**, How many episodes of hospital care might be prevented by widespread uptake of pneumococcal conjugate vaccine?, **859**
- pneumococcal epidemiology**, Invasive pneumococcal disease in Oxford, 1985–2001: a retrospective case series, **712**
- pneumococcal meningitis**, How many episodes of hospital care might be prevented by widespread uptake of pneumococcal conjugate vaccine?, **859**
- pneumococcal pneumonia**, How many episodes of hospital care might be prevented by widespread uptake of pneumococcal conjugate vaccine?, **859**
- pneumococcal septicaemia**, How many episodes of hospital care might be prevented by widespread uptake of pneumococcal conjugate vaccine?, **859**
- pneumococcal vaccine**, Assessing immune responses to pneumococcal vaccines, **648**
- Conflicting advice, **176**
- Pneumococcal nasopharyngeal carriage in children following heptavalent pneumococcal conjugate vaccination in infancy, **211**
- pneumococcus**, Sudden infant death due to disseminated pneumococcal infection, **157**
- pneumonia**, Invasive pneumococcal disease in Oxford, 1985–2001: a retrospective case series, **712**
- 'Unresolving pneumonia' as the main manifestation of atypical Kawasaki disease, **940**
- Towards evidence based medicine for paediatricians, **454**
- poisoning**, Amitraz poisoning, an emerging problem: epidemiology, clinical features, management, and preventive strategies, **130**
- polymerase chain reaction**, BK virus DNA in CSF of immunocompetent and immunocompromised patients, **174**

- population**, Describing the phenotype in Rett syndrome using a population database, **38**
The One Child Family Policy, **463**
- population pharmacokinetics**, Population pharmacokinetics of high dose ibuprofen in cystic fibrosis, **1128**
- portal hypertension**, Partial splenectomy in cystic fibrosis patients with hypersplenism, **143, 649**
- postgraduate education**, Paediatricians and child protection: the need for effective education and training, **560**
- postnatal depression**, Postnatal depression and infant growth and development in low income countries: a cohort study from Goa, India, **34**
- potassium permanganate**, Caustic burn caused by potassium permanganate, **96**
- poverty areas**, An observational study to detect leptospirosis in Mumbai, India, 2000, **1070**
Detection of leptospirosis in India, **1033**
- Prader-Willi syndrome**, Birth prevalence of Prader-Willi syndrome in Australia, **263**
Growth hormone therapy in the Prader-Willi syndrome, **283**
- precocious puberty**, Metrorrhagia and precocious puberty revealing primary hypothyroidism in a child with Down's syndrome, **330**
- pre-eclampsia**, Pre-eclampsia and febrile convulsions, **726**
- pregnancy**, Adverse health effects of prenatal and postnatal tobacco smoke exposure on children, **1086**
- premature**, Bronchoalveolar lavage cellularity in infants with severe respiratory syncytial virus bronchiolitis, **922**
- prematurity**, Lung function and low birth weight, **742**
Lung function and respiratory health in adolescents of very low birth weight, **135**
The clinical and health economic burden of respiratory syncytial virus disease among children under 2 years of age in a defined geographical area, **1065**
- prepubertal girls**, Vulvovaginitis in prepubertal girls, **324**
- preschool**, Safety of inhaled corticosteroids delivered by plastic and metal spacers, **527**
Systemic neutrophil activation in acute preschool viral wheeze, **529**
- prescribing policy**, Emergency asthma inhalers in school, **384**
- preterm**, Growth impairment in the very preterm and cognitive and motor performance at 7 years, **482**
Hib vaccination in infants born prematurely, **206**
- preterm birth**, Pre-eclampsia and febrile convulsions, **726**
- preterm infant**, Development and evaluation of a follow up assessment of preterm infants at 5 years of age, **870**
- prevalence**, Parent reported longstanding health problems in early childhood: a cohort study, **570**
Prevalence of autism and parentally reported triggers in a north east London population, **666**
Type 2 and other forms of diabetes in 0–30 year olds: a hospital based study in Leeds, UK, **676**
- Prevenar**, Assessing immune responses to pneumococcal vaccines, **648**
Conflicting advice, **176**
- prevention**, Accident prevention, **275**
Prevention of severe hypoglycaemia in type I diabetes: a randomised controlled population study, **240**
- primary care**, Improving mental health through parenting programmes: are the results valid?, **460**
Improving mental health through parenting programmes: are the results valid?, **553**
- prognostic indicators**, Chronic fatigue syndrome in children: a cross sectional survey, **894**
- prophylaxis**, Role of itraconazole in haematology/oncology, **258**
- protein substitute**, Are tablets a practical source of protein substitute in phenylketonuria?, **327**
- provision of specialist care**, Variations in initial assessment and management of inflammatory bowel disease across Great Britain and Ireland, **990**
- pseudohypoadosteronism**, The use of sodium resonium in pseudohypoadosteronism, **1138**
- pseudomembranous colitis**, Corticosteroid treatment of severe, non-responsive *Clostridium difficile* induced colitis, **342**
- pseudoporphyria**, Images in paediatrics: Pseudoporphyria secondary to non-steroidal anti-inflammatory drugs, **961**
- psychological**, Incorporating psychological approaches into routine paediatric venepuncture, **931**
- psychology**, Psychological management of two cases of self injury on the paediatric intensive care unit, **335**
- puberty**, Therapeutic implications of sex differences in asthma and atopy, **587**
- public health**, Health protection and a new strategy for combating infection in children, **1**
Towards evidence based medicine for paediatricians, **234**
- pulmonary**, Ethical aspects of using radiolabelling in aerosol research, **659**
- pulmonary function test**, Prospective randomised treatment with recombinant human growth hormone in cystic fibrosis, **1078**
The effects of obesity on pulmonary function, **361**
- pulmonary hypertension**, Mechanisms of pulmonary hypertension in *Bordetella pertussis*, **92**
Sildenafil as a treatment for pulmonary hypertension, **827**
Towards evidence based medicine for paediatricians, **82**
- qualitative research**, The doctor, the father, and the social scientist, **44**
- quality assurance**, Medical training in the UK, **655**
- quality improvement**, Improving the quality of paediatric care in peripheral hospitals in developing countries, **563**
- questionnaires**, Questions on questionnaire development, **273**
- questions**, Cloacal exstrophy, **277**
- radioiodine**, Successful radioiodine treatment in a 3 year old child with Graves' disease following antithyroid medication induced neutropenia, **158**
- radio-isotope**, Non-invasive diagnosis of tracheobronchomalacia using a modified ventilation radioisotope lung scan, **1122**
- radiolabelling**, Ethical aspects of using radiolabelling in aerosol research, **659**
- randomised controlled trial**, Antibiotics and surgery for vesicoureteric reflux: a meta-analysis of randomised controlled trials, **688**
Randomised controlled trial of site specific advice on school travel patterns, **8**
- rapid diagnosis**, Effect of a rapid influenza diagnosis, **525**
- rash**, Is life long follow up for patients with Kawasaki disease indicated?, **91**
- RCPCH**, Education and training in the paediatric senior house officer grade: analysis of RCPCH hospital/child health visits reports, 1997–2001, **450**
- Reach Out and Read**, The developing brain and early learning, **651**
- reactive arthritis**, Immune complex associated complications in the subacute phase of meningococcal disease: incidence and literature review, **927**
- reading**, Tell me a story ... What can paediatricians gain from reading stories?, **635**
- recall bias**, Prevalence of autism and parentally reported triggers in a north east London population, **666**
- recall of breast feeding**, Maternal recall of exclusive breast feeding duration, **778**
- recent developments**, Recent developments in lasers and the treatment of birthmarks, **372**
- recommendations**, 22q11 deletion: a multisystem disorder requiring multidisciplinary input, **523**
- referrals**, A seven year experience of medical emergencies in the assessment unit, **125**
- referring hospital**, Does the use of a specialised paediatric retrieval service result in the loss of vital stabilisation skills among referring hospital staff?, **851**
- refugee**, Refugee children: don't replace one form of severe adversity with another, **365**
- regional blocks**, The use of regional anaesthetic blockade in a child with recurrent erythromelalgia, **65**
- regression analysis**, Disease severity and associated family impact in childhood atopic dermatitis, **423**
- REM sleep**, Blood pressure in sleep disordered breathing, **139**
- renal stones**, Epidemiology of paediatric renal stone disease in the UK, **962**
- renal transplantation**, Renal transplantation, **844**
- renal tubular function**, Renal tubular dysfunction in children living in the Aral Sea Region, **966**
- renovascular hypertension**, Acute panuveitis and Takayasu's arteritis, **938**
- resistance**, Bacterial susceptibility to oral antibiotics in community acquired urinary tract infection, **215**
- respiratory disease**, Questions on questionnaire development, **273**

- respiratory distress syndrome**, The potential of recombinant surfactant protein D therapy to reduce inflammation in neonatal chronic lung disease, cystic fibrosis, and emphysema, **981**
- respiratory illness**, Breast feeding and respiratory morbidity in infancy: a birth cohort study, **224**
Hypoxaemia in children: 'abnormal' values may be misleading, **364**
Hypoxaemia in developing countries, **365**
Response to Duke *et al*, **364**
- respiratory infection**, Breast feeding and respiratory morbidity in infancy: a birth cohort study, **224**
- respiratory problem**, Respiratory problems in children with neurological impairment, **75**
- respiratory symptom**, Congenital adrenal hypoplasia presenting as a chronic respiratory condition, **261**
- respiratory syncytial virus**, Prolonged hypothermia following respiratory syncytial viral infection in infancy, **69**
The clinical and health economic burden of respiratory syncytial virus disease among children under 2 years of age in a defined geographical area, **1065**
- respiratory tract infection**, Airway infections in infancy and the presence of allergy and asthma in school age children, **566**
Management of parapneumonic effusion and empyema, **915**
- restraint**, General anaesthesia or conscious sedation for painful procedures in childhood cancer: the family's perspective, **253**
- resuscitation**, Resuscitation training of paediatricians, **118**
- retrieval**, Safe retrieval of impacted central venous line, **630**
- Rett syndrome**, Describing the phenotype in Rett syndrome using a population database, **38**
- rhabdomyosarcoma**, Update on childhood rhabdomyosarcoma, **354**
- rhDNase**, Treatment of plastic bronchitis in acute chest syndrome of sickle cell disease with intratracheal rhDNase, **626**
- rickets**, Radiological and biochemical resolution of nutritional rickets with calcium, **812**
The investigation of hypocalcaemia and rickets, **403**
- risk factor**, Vagal overactivity: a risk factor of sudden infant death syndrome?, **88**
- risk factors**, Epidemiology of paediatric renal stone disease in the UK, **962**
- risk group**, Hib vaccination in infants born prematurely, **206**
- risk management**, Making medicines that children can take, **369**
- rituximab**, Anti B cell targeted immunotherapy for treatment of refractory autoimmune haemolytic anaemia in a young infant, **337**
- RSV infection**, Prolonged hypothermia following respiratory syncytial viral infection in infancy, **69**
- safety**, Safety first, **578**
- sanctions**, The effect of sanctions on children of Iraq, **92**
- school**, Emergency asthma inhalers in school, **384**
- school backpacks**, Parental knowledge of school backpack weight and contents, **18**
- school travel patterns**, Randomised controlled trial of site specific advice on school travel patterns, **8**
- screening**, Height screening at school: ineffective without high standards and adequate resources, **477**
Newborn screening for Duchenne muscular dystrophy, **91**
Six month impact of false positives in an Australian infant hearing screening programme, **20**
Thyroid screening in Down's syndrome: current patterns in the UK, **647**
Vitamin K deficient bleeding in cystic fibrosis, **553**
- SDZ ASM 981**, Systemic exposure, tolerability, and efficacy of pimecrolimus cream 1% in atopic dermatitis patients, **969**
- secretin**, Children with autistic spectrum disorders. I: Comparison of placebo and single dose of human synthetic secretin, **731**
Children with autistic spectrum disorders. II: Parents are unable to distinguish secretin from placebo under double-blind conditions, **737**
- sedation**, General anaesthesia or conscious sedation for painful procedures in childhood cancer: the family's perspective, **253**
- self injury**, Psychological management of two cases of self injury on the paediatric intensive care unit, **335**
- senior house officer**, Education and training in the paediatric senior house officer grade: analysis of RCPCH hospital/child health visits reports, 1997–2001, **450**
- sensorimotor neuropathy**, The use of regional anaesthetic blockade in a child with recurrent erythromelalgia, **65**
- sensorineural**, Cochlear implantation for progressive hearing loss, **708**
- sepsis**, Carbon monoxide concentrations in paediatric sepsis syndrome, **889**
- septic arthritis**, *Pantoea agglomerans* as a cause of septic arthritis after palm tree thorn injury; case report and literature review, **542**
- septic shock**, Carbon monoxide concentrations in paediatric sepsis syndrome, **889**
Pathophysiology of meningococcal meningitis and septicaemia, **601**
- seronegativity**, An unusual presentation of perinatally transmitted hepatitis C, **160**
- service provision**, Cold light transillumination as an aid to umbilical catheterisation, **5**
- services**, Diabetes services in the UK: third national survey confirms continuing deficiencies, **53**
- sex ratio**, Therapeutic implications of sex differences in asthma and atopy, **587**
- sex steroids**, Therapeutic implications of sex differences in asthma and atopy, **587**
- shaking**, Brain haemorrhage in five infants with coagulopathy, **1119**
Shaking infant trauma induced by misuse of a baby chair, **632**
- sickle cell**, Treatment of plastic bronchitis in acute chest syndrome of sickle cell disease with intratracheal rhDNase, **626**
- sickle cell disease**, Technetium-99m MDP bone scintigraphy shows multiple abnormalities in sickle cell disease, **631**
- SIDS**, Sudden infant death syndrome, **1031**
Sudden infant death syndrome: a critical review of approaches to research, **1095**
Sudden unexpected death in infancy associated with maltreatment: evidence from long term follow up of siblings, **699**
- SIDS, smoking**, Sudden infant death syndrome: bed sharing with mothers who smoke, **112**
- SIDS, twins**, Hazards in the epidemiological study of sudden infant death syndrome, **460**
The epidemiology of sudden infant death syndrome, **27**
- sildenafil**, Sildenafil as a treatment for pulmonary hypertension, **827**
- sinusitis complications**, Inflammatory C2–3 subluxation: a Grisel's syndrome variant, **628**
- Sir Frederick Treves**, Not just an appendix: Sir Frederick Treves, **549**
- skeletal survey**, Complementary use of radiological skeletal survey and bone scintigraphy in detection of bony injuries in suspected child abuse, **387**
- sleep disordered breathing**, Blood pressure in sleep disordered breathing, **139**
Glucose metabolism in sleep disordered breathing, **89**
- sleep related disordered breathing**, A controlled study of sleep related disordered breathing in obese children, **1043**
- sleep study**, Altered arousal response in infants exposed to cigarette smoke, **30**
- sleeping**, Preventing sleeping problems in infants who are at risk of developing them, **108**
- sleeplessness**, Medication for sleep-wake disorders, **899**
- sleep-wake disorder**, Medication for sleep-wake disorders, **899**
- smallpox**, Smallpox vaccination, **841**
- smell**, Parental reporting of smelly urine and urinary tract infection, **250**
- social services**, Does providing social services with information and advice on immunisation status of 'looked after children' improve uptake?, **299**
- socioeconomic factors**, Invasive pneumococcal disease in Oxford, 1985–2001: a retrospective case series, **712**
- socioeconomic status**, Health effects of family size: cross sectional survey in Chinese adolescents, **467**
- sodium resonium**, The use of sodium resonium in pseudohypoadosteronism, **1138**
- soft tissue uptake**, Technetium-99m MDP bone scintigraphy shows multiple abnormalities in sickle cell disease, **631**
- somatisation**, Restrained rehabilitation: an approach to children and adolescents with conversion disorder, **399**
- soothers**, Factors relating to the infant's last sleep environment in sudden infant death syndrome in the Republic of Ireland, **1058**
- South Africa**, Maternal recall of exclusive breast feeding duration, **778**
- South Asian**, Cystic fibrosis presenting as kwashiorkor in a Sri Lankan infant, **724**
- spacer**, Comparative efficacy of terbutaline sulphate delivered by Turbuhaler dry powder inhaler or pressurised metered dose inhaler with Nebuhaler spacer in children during an acute asthmatic episode, **319**
Funhaler spacer: improving adherence without compromising delivery, **579**

- spacers**, Safety of inhaled corticosteroids delivered by plastic and metal spacers, **527**
- spinal muscular atrophy**, Spinal muscular atrophy-type I, **848**
- spirometry**, *Mycoplasma pneumoniae* associated organising pneumonia in a 10 year old boy, **270**
- splenomegaly**, Partial splenectomy in cystic fibrosis patients with hypersplenism, **143, 649**
- stabilisation skills**, Does the use of a specialised paediatric retrieval service result in the loss of vital stabilisation skills among referring hospital staff?, **851**
- staff ratio**, Infant to staff ratios and risk of mortality in very low birth weight infants, **1138**
- staphylococcus**, The challenge of mastitis, **818**
- STIs**, National guideline for the management of suspected sexually transmitted infections in children and young people, **303**
- stories**, Once upon a time, **545**
Tell me a story ... What can paediatricians gain from reading stories?, **635**
- streptococcus**, Group B streptococcal conjugate vaccines, **375**
- stroke**, Can mild head injury cause ischaemic stroke?, **267**
Running around in circles following ischemic stroke, **742**
- subclinical hypothyroidism**, Subclinical hypothyroidism and Down's syndrome; studies on myocardial structure and function, **1005**
- subclinical mastitis**, The challenge of mastitis, **818**
- subdural haemorrhage**, Apnoea and brain swelling in non-accidental head injury, **472**
Shaking infant trauma induced by misuse of a baby chair, **632**
- subhyaloid haemorrhage**, Shaking infant trauma induced by misuse of a baby chair, **632**
- subjective probability of outcomes**, Same patient, different advice: a study into why doctors vary, **497**
- subluxation**, An unusual life threatening cause of torticollis in a child, **349**
- sub-Saharan Africa**, Timing of growth faltering in rural Malawi, **574**
- suction injury**, Awareness of swimming pool suction injury among tour operators, **584**
- sudden infant death**, Sudden infant death due to disseminated pneumococcal infection, **157**
- sudden infant death syndrome**, Factors relating to the infant's last sleep environment in sudden infant death syndrome in the Republic of Ireland, **1058**
Infant care practices related to cot death in Turkish and Moroccan families in the Netherlands, **784**
"Labor improbus omnia vincit"; Ambroise Paré and sixteenth century child care, **985**
Signs and symptoms of illness in early infancy: associations with sudden infant death, **1001**
Sudden infant death syndrome: bed sharing with mothers who smoke, **112**
Vagal overactivity: a risk factor of sudden infant death syndrome?, **88**
- surfactant**, Towards evidence based medicine for paediatricians, **831**
- surfactant protein D**, The potential of recombinant surfactant protein D therapy to reduce inflammation in neonatal chronic lung disease, cystic fibrosis, and emphysema, **981**
- surveillance**, Pharmacogenomic can give children safer medicines, **366**
The epidemiology of acute meningitis in children in England and Wales, **662**
- survey**, Community child health training, **97**
Diabetes services in the UK: third national survey confirms continuing deficiencies, **53**
- survival**, Survival of children born with congenital anomalies, **391**
Update on childhood rhabdomyosarcoma, **354**
- susceptibility**, Bacterial susceptibility to oral antibiotics in community acquired urinary tract infection, **215**
- sweat test**, Evidence based guidelines for the performance of the sweat test for the investigation of cystic fibrosis in the UK, **1126**
- swimming**, Towards evidence based medicine for paediatricians, **234**
- swimming pool safety**, Awareness of swimming pool suction injury among tour operators, **584**
- symptoms**, Perception of exercise induced asthma by children and their parents, **807**
Presenting features of inflammatory bowel disease in Great Britain and Ireland, **995**
Semeiology—a well established and challenging paediatric speciality, **281**
- syncope**, Syncope in childhood, **350**
- systematic review**, A systematic review for evidence of efficacy of anticholinergic drugs to treat drooling, **911**
Antibiotics and surgery for vesicoureteric reflux: a meta-analysis of randomised controlled trials, **688**
Formula feed preparation: helping reduce the risks; a systematic review, **855**
Health consequences of obesity, **745**
Short versus standard duration antibiotic treatment for UTIs: a comparison of two meta-analyses, **89**
Towards evidence based medicine for paediatricians, **831**
- Takayasu's arteritis**, Acute panuveitis and Takayasu's arteritis, **938**
- teenage behaviour**, Long term follow up after meningitis in infancy: behaviour of teenagers, **395**
- thoracostomy**, Management of parapneumonic effusion and empyema, **915**
- thoracotomy**, Empyema thoracis: a 10-year comparative review of hospitalised children from south Asia, **1009**
Management of parapneumonic effusion and empyema, **915**
- thorn**, *Pantoea agglomerans* as a cause of septic arthritis after palm tree thorn injury; case report and literature review, **542**
- thrombocytopenia**, Thrombocytopenia and *Plasmodium falciparum* malaria in children with different exposures, **540**
- thyroid**, Thyroid screening in Down's syndrome: current patterns in the UK, **647**
- thyrotoxicosis**, Successful radioiodine treatment in a 3 year old child with Graves' disease following antithyroid medication induced neutropenia, **158**
- tobacco smoke**, Altered arousal response in infants exposed to cigarette smoke, **30**
- toe-walking**, A novel presentation of juvenile idiopathic arthropathy, **1015**
- tolazoline**, Towards evidence based medicine for paediatricians, **82**
- tonsillectomy**, Differential diagnosis of periodic fevers, **92**
- topical steroids**, Herbal creams used for atopic eczema in Birmingham, UK illegally contain potent corticosteroids, **1056**
- torticollis**, An unusual life threatening cause of torticollis in a child, **349**
- tracheobronchomalacia**, Non-invasive diagnosis of tracheobronchomalacia using a modified ventilation radioisotope lung scan, **1122**
- traffic**, Towards evidence based medicine for paediatricians, **234**
- training**, Caustic burn caused by potassium permanganate, **96**
Education and training in the paediatric senior house officer grade: analysis of RCPCH hospital/child health visits reports, 1997–2001, **450**
Evaluation of cultural competence and antiracism training in child health services, **291**
Tell me a story ... What can paediatricians gain from reading stories?, **635**
- transillumination**, Cold light transillumination as an aid to umbilical catheterisation, **5**
- trauma**, Accident prevention, **275**
Can mild head injury cause ischaemic stroke?, **267**
Running around in circles following ischemic stroke, **742**
Shaking infant trauma induced by misuse of a baby chair, **632**
- traumatic arterial injury**, Radial artery pseudoaneurysm successfully treated by compression bandage, **165**
- travel**, Fever in returned travellers: a prospective review of hospital admissions for a 2½ year period, **432**
- traveller**, Thrombocytopenia and *Plasmodium falciparum* malaria in children with different exposures, **540**
- treatment**, Culture confirmed multidrug resistant tuberculosis: diagnostic delay, clinical features, and outcome, **1106**
Diagnosis and treatment of bacterial meningitis, **615**
Herbal creams used for atopic eczema in Birmingham, UK illegally contain potent corticosteroids, **1056**
Treatment of meningococcal infection, **608**
- treatment duration**, Short versus standard duration antibiotic treatment for UTIs: a comparison of two meta-analyses, **89**
- treatment preferences**, Same patient, different advice: a study into why doctors vary, **497**
- trend**, Secular trends in growth in diabetes: are we winning?, **151**
- trial**, Improving mental health through parenting programmes: are the results valid?, **460**
Improving mental health through parenting programmes: are the results valid?, **553**

- triamcinolone**, Intra-articular corticosteroid injections in juvenile idiopathic arthritis, **192**
- trichobezoar**, A Rapunzel with a difference, **264**
- trimethoprim**, Increasing antibiotic resistance among urinary tract isolates, **444**
- TSH**, Subclinical hypothyroidism and Down's syndrome; studies on myocardial structure and function, **1005**
Thyroid screening in Down's syndrome: current patterns in the UK, **647**
- tuberculosis**, A decade of change: tuberculosis in England and Wales 1988–98, **772**
- tumour necrosis factor**, Biologic therapies for juvenile arthritis, **186**
- tumour necrosis factor γ** , Juvenile onset spondyloarthropathies: therapeutic aspects, **312**
- turbuhaler**, Comparative efficacy of terbutaline sulphate delivered by Turbuhaler dry powder inhaler or pressurised metered dose inhaler with Nebuhaler spacer in children during an acute asthmatic episode, **319**
- type 1 diabetes**, Environmental risk factors for type 1 diabetes in Rome and province, **695**
Prevention of severe hypoglycaemia in type 1 diabetes: a randomised controlled population study, **240**
- type 2 diabetes mellitus**, Type 2 and other forms of diabetes in 0–30 year olds: a hospital based study in Leeds, UK, **676**
- type 3 hypersensitivity**, Immune complex associated complications in the subacute phase of meningococcal disease: incidence and literature review, **927**
- tyrosine**, Are tablets a practical source of protein substitute in phenylketonuria?, **327**
- UK**, Hepatitis B incidence among South Asian children in England and Wales: implications for immunisation policy, **1082**
- UKALL XI**, Attentional ability among survivors of leukaemia treated without cranial irradiation, **147**
- ultrasonography**, Intravenous atropine treatment in infantile hypertrophic pyloric stenosis, **87**
Posterior knee pain: primary symptom of a small non-occlusive venous clot, **728**
- umbilical catheterisation**, Cold light transillumination as an aid to umbilical catheterisation, **5**
- undernutrition**, Coexistence of social inequalities in undernutrition and obesity in preschool children: population based cross sectional study, **671**
- univentricular heart**, Same patient, different advice: a study into why doctors vary, **497**
- urinary incontinence**, Bladder dysfunction in Duchenne muscular dystrophy, **347**
- urinary tract infection**, A new urine collection method; pad and moisture sensitive alarm, **743**
A new urine collection method; pad and moisture sensitive alarm, **836**
Antibiotics and surgery for vesicoureteric reflux: a meta-analysis of randomised controlled trials, **688**
Bacterial susceptibility to oral antibiotics in community acquired urinary tract infection, **215**
Increasing antibiotic resistance among urinary tract isolates, **444**
Parental reporting of smelly urine and urinary tract infection, **250**
Short versus standard duration antibiotic treatment for UTIs: a comparison of two meta-analyses, **89**
- urine collection pad**, A new urine collection method; pad and moisture sensitive alarm, **743**
A new urine collection method; pad and moisture sensitive alarm, **836**
- urokinase**, Thoracic empyema, **839**
- vaccine**, Group B streptococcal conjugate vaccines, **375**
Hib vaccination in infants born prematurely, **206**
Immunologic memory in *Haemophilus influenzae* type b conjugate vaccine failure, **379**
Smallpox vaccination, **841**
- vaccine safety**, Bacterial infections, immune overload, and MMR vaccine, **222**
- vagal overactivity**, Vagal overactivity: a risk factor of sudden infant death syndrome?, **88**
- valved holding chambers**, Safety of inhaled corticosteroids delivered by plastic and metal spacers, **527**
- varicella**, Varicella vaccination in England and Wales: cost-utility analysis, **862**
- VATS**, Empyema thoracis: not time to put down the knife, **842**
Thoracic empyema, **839**
- venepuncture**, Incorporating psychological approaches into routine paediatric venepuncture, **931**
- venous angio-MRI**, Posterior knee pain: primary symptom of a small non-occlusive venous clot, **728**
- venous thrombosis**, Posterior knee pain: primary symptom of a small non-occlusive venous clot, **728**
- ventilator**, Psychological management of two cases of self injury on the paediatric intensive care unit, **335**
- verruca**, Towards evidence based medicine for paediatricians, **234**
- vertical transmission**, The challenge of mastitis, **818**
- vertigo**, Evaluation of vestibular functions in children with vertigo attacks, **510**
- very low birth weight**, General Certificate of Secondary Education performance in very low birthweight infants, **295**
- vesicoureteric reflux**, Antibiotics and surgery for vesicoureteric reflux: a meta-analysis of randomised controlled trials, **688**
- vestibulopathy**, Evaluation of vestibular functions in children with vertigo attacks, **510**
- Victoria Climbié**, From Cosette to Climbié: 'Progress is the aim, the ideal is the model', **562**
- viral wheeze**, Systemic neutrophil activation in acute preschool viral wheeze, **529**
- virus**, The epidemiology of acute meningitis in children in England and Wales, **662**
- vitamin D metabolites**, Radiological and biochemical resolution of nutritional rickets with calcium, **812**
- vitamin K**, Vitamin K deficient bleeding in cystic fibrosis, **553**
Vitamin K supplementation in cystic fibrosis, **974**
- vomiting**, Intravenous atropine treatment in infantile hypertrophic pyloric stenosis, **87**
- vulvovaginitis**, Vulvovaginitis in prepubertal girls, **324**
- weaning**, Weaning of infants, **488**
- weight estimation**, A comparison of two commonly used methods of weight estimation, **789**
- WHO**, Formula feed preparation: helping reduce the risks; a systematic review, **855**
- whooping cough**, Severe and unrecognised: pertussis in UK infants, **802**
- working overseas**, A leap into the unknown—working overseas, **374**
The black hole in my CV, **544**
- writing**, Once upon a time, **545**
- xenograft**, Unexpected medical coincidences require systematic and careful strategies: an example, **435**
- x-ray**, Towards evidence based medicine for paediatricians, **454**
- young adults**, Type 2 and other forms of diabetes in 0–30 year olds: a hospital based study in Leeds, UK, **676**
- zoster**, Varicella vaccination in England and Wales: cost-utility analysis, **862**